SRI LANKA JOURNAL OF TEA SCIENCE

(upto 1985 Tea Quarterly)

CABI BIOSCIENCE
EGHAM LIBRARY
- 7 JUL 2004

CUMULATIVE INDEX

VOLUMES 52 – 65
1983 – 1997

Compiled by
Wasantha Illangantilake
Librarian
TRI

Tea Research Institute of Sri Lanka
Talawakelle
Sri Lanka

2003

SRI LANKA JOURNAL OF TEA SCIENCE

(upto 1985 Tea Quarterly)

CUMULATIVE INDEX

VOLUMES 52 – 65
1983 – 1997

Compiled by
Wasantha Illangantilake
Librarian
TRI

Tea Research Institute of Sri Lanka
Talawakelle
Sri Lanka

2003

CONTENTS

	page
Volume No. relating to the year of publication	01
Contributors to the Journal	05
Author index with titles of papers	16
Classified index to titles of papers-summary	53
Classified index to title of papers	67
Subject index	97

Copyright- *No part of this Index may be reproduced in any form without the written permission of the Director, Tea Research Institute of Sri Lanka.*

Digitized by the Internet Archive
in 2025

https://archive.org/details/sri-lanka-journal-of-tea-science_2003_52-65_cumulative-index

FOREWORD

The Tea Research Institute of Sri Lanka came into existence in 1926 and published the first volume of *The Tea Quarterly* in 1928 with the objective of providing a source of information relating to all aspects of cultivation and manufacture of tea. Since inception, the journal has been published continuously, until 1984 and printed 53 volumes.

The scope of the publication has since changed 1984 from general articles to more technical ones containing results of experiments conducted by this Institute. The quality of scientific papers are kept in line with the standard of publications of the international scientific community. The presentation of papers to satisfy the lay planting community, as well as the international scientific community sometimes posed problems to the former.

As a compromise, in 1985, it was decided to publish scientific articles in the *Sri Lanka Journal of Tea Science* and other popular articles of current interest to the planting community in a publication titled *`Tea Bulletin'*. Although the first volume of *Sri Lanka Journal of Tea Science* was published, as a replacement of the *Tea Quarterly*, it was decided to continue with the volume series, for easy reference.

This present index covers volumes 52 and 53 of *Tea Quarterly* and volumes 54 to 65 of Sri Lanka Journal of Tea Science. The efforts of Ms Wasantha Illangantilake in compiling these indices, is greatly appreciated.

Dr M T Ziyad Mohamed
DIRECTOR

September 2003

VOLUME NO. RELATING TO YEAR OF PUBLICATION

TEA QUARTERLY

Year	*Volume*
1928	1
1929	2
1930	3
1931	4
1932	5
1933	6
1934	7
1935	8
1936	9
1937	10
1938	11
1939	12
1940	13
1941	14
1942	15
1943	16
1944	17
1946	18

1947 19
1949 20
1950 21
1951 22
1952 23
1953 24
1954 25
1955 26
1956 27
1957 28
1958 29
1959 30
1960 31
1961 32
1962 33
1963 34
1964 35
1965 36
1966 37
1967 38
1968 39
1969 40
1970 41
1971 42

1972 43
1974 44
1975 45
1976 46
1977 47
1979 48
1980 49
1981 50
1982 51
1983 52
1984 53

SRI LANKA JOURNAL OF TEA SCIENCE

1985 54
1986 55
1987 56
1988 57
1989 58
1990 59
1991 60
1992 61
1993 62
1994 63

1996 64

1997 65

- After 1985 the title of the journal (Tea Quarterly)was changed to Sri Lanka Journal of Tea Science
- Not published in 1945, 1948, 1973, 1978, 1995, 1998, 1999

CONTRIBUTORS TO THE JOURNAL
(1983-1997)

	Year	Volume	Page
ABEYSEKARA, A R …..	1988	57(2)	68
ABEYSEKARA, U P …..	1997	65(1/2)	67
	1997	65(1/2)	76
ABEYSINGHE, L S …..	1997	65(1/2)	34
ADDAICKAN, S …..	1983	52(2)	52
	1987	56(1)	05
	1987	56(1)	22
AGARWAL, BEENA …..	1989	58(1)	64
AHAMED, M …..	1992	61(1)	24
	1994	63(2)	70
AHMED, N …..	1991	60(2)	70
ALAM, BADRUL, A F M …..	1985	54(2)	54
ALAWATTEGAMA, T …..	1988	57(2)	55
AMARAKOON, A M T …..	1990	59(1)	24
	1991	60(1)	36
AMARASEKARA, A R …..	1986	55(1)	28
	1986	55(2)	77
	1986	55(2)	84
	1986	55(2)	89
	1997	65(1/2)	76
AMARASINGHE, L D …..	1990	59(1)	09
	1993	62(1)	11
	1993	62(1)	16
	1993	62(2)	66
ANANDACOOMARASWAMY, A …..	1985	54(2)	84
	1986	55(1)	28

	1986	55(2)	84
	1986	55(2)	89
	1987	56(1)	41
	1988	57(1)	11
	1991	60(2)	46
	1991	60(2)	64
	1997	65(1/2)	76
ANANDACOOMARASWAMY, S …..	1986	55(2)	77
	1987	56(1)	35
	1990	59(1)	04
	1990	59(2)	52
	1991	60(1)	04
	1997	65(1/2)	11
ANANDAVIJAYAN, A …..	1987	56(1)	41
	1989	58(2)	111
ANPALAGAN, V T …..	1987	56(2)	95
ARULPRAGASAM, P V …..	1983	52(2)	52
	1984	53(1/2)	04
	1986	55(1)	44
	1987	56(1)	05
	1987	56(1)	22
	1988	57(1)	16
	1988	57(1)	20
	1990	59(2)	62
BADYAL, J …..	1989	58(1)	73
	1990	59(1)	29
BAKER, RICHARD M …..	1991	60(1)	04
BALAKRISHNAN, T …..	1990	59(2)	52
	1992	61(1)	04
BALASINGHAM, A …..	1997	65(1/2)	11
BALASURIYA, J …..	1991	60(2)	46
	1996	64(1/2)	51
	1997	65(1/2)	46
BASNAYAKE, B M N R …..	1991	60(2)	46
BHAN, S …..	1990	59(1)	29
BOTHEJU, W S …..	1987	56(2)	83
	1989	58(1)	40

CHACKO K …..	1996	64(1/2)	35
CHANDEL, K P S …..	1990	59(2)	89
CHAUDHURY, REKHA …..	1990	59(2)	89
CHOWDHURY, MUQTADIR …..	1985	54(2)	54
DAHANAYAKE, K D …..	1986	55(1)	14
DE SILVA M J …..	1985	54(1)	26
	1988	57(2)	46
	1989	58(1)	40
	1991	60(1)	36
	1993	62(1)	04
DE SILVA, M S D L …..	1994	63(1)	28
DE SILVA, W C A …..	1994	63(2)	46
	1994	63(2)	59
	1996	64(1/2)	43
EDIRIWEERA, D P …..	1988	57(2)	40
	1991	60(1)	30
EDIRIWEERA, V L …..	1986	55(2)	71
EKANAYAKE, A …..	1987	56(1)	12
	1987	56(2)	83
	1988	57(2)	46
EKANAYAKE, P B …..	1994	63(1)	04
FERNANDO, V …..	1983	52(1)	31
	1988	57(1)	05
FONSEKA, J P …..	1990	59(1)	37
FORDHAM, R …..	1996	64(1/2)	21
GALE SMITH B …..	1997	65(1/2)	46
GALAHITIYAWA, G …..	1988	57(2)	55
GAMAGE, A K …..	1985	54(2)	73
GEORGE, P J …..	1996	64(1/2)	35

GNANAPRAGASAM, N C …..	1983	52(1)	41
	1984	53(1/2)	19
	1985	54(1)	46
	1985	54(2)	62
	1987	56(2)	95
	1989	58(1)	05
	1989	58(2)	83
	1990	59(2)	82
	1993	62(2)	47
GOKALP, H Y …..	1992	61(2)	51
GOLDEN, D C …..	1984	53(1/2)	43
GOONATILAKE, R B …..	1988	57(1)	05
GUNARATNA, G P …..	1997	65(1/2)	11
GUNASEKARA, T S …..	1992	61(1)	31
	1994	63(1)	19
GWYN, E …..	1989	58(1)	09
HAMID, F S …..	1991	60(2)	70
HERATH, H M G …..	1985	54(2)	84
	1986	55(2)	89
HERATH, N L …..	1986	55(1)	04
	1989	58(2)	111
	1990	59(1)	24
	1991	60(1)	36
	1993	62(1)	04
	1996	64(1/2)	05
HERATH, U B …..	1989	58(2)	83
HETTIARACHCHI, L S K …..	1993	62(2)	53
	1997	65(1/2)	11
HIRIMBUREGAMA, K …..	1997	65(1/2)	05
HOLT, J …..	1992	61(1)	24
	1994	63(2)	70
HOMINICK, W M …..	1993	62(1)	11
	1993	62(1)	16
	1993	62(2)	66

HUMBEL, R …..	1984	53(1/2)	11
	1990	59(2)	65
ILLANGANTILAKE, S G …..	1985	54(2)	84
JAYAKODY, J A A M ….	1994	63(1)	10
JAYASEKARA, A P D A …..	1997	65(1/2)	67
JAYASINGHE, H D …..	1985	54(1)	32
	1986	55(1)	14
JAYASINGHE, J A S K V …..	1997	65(1/2)	67
JAYAWEERA, H …..	1989	58(2)	111
JAYAWICKRAMA,P K …..	1997	65(1/2)	67
JEBAMALAI, A S …..	1987	56(2)	95
JEYACHANDRAN, I C R …..	1989	58(1)	50
	1989	58(2)	104
JEYACHANDRAN, N …..	1992	61(1)	04
JONES, GWYN E …..	1989	58(1)	09
KANAGANATHAN, S ….	1987	56(1)	48
KANDIAH, S ……	1986	55(2)	94
	1987	56(1)	48
KANTHASAMY, P ……	1987	56(1)	12
KARIYAWASAM, W S …..	1987	56(1)	12
	1987	56(2)	83
KATHIRAVETPILLAI, A …..	1983	52(1)	21
	1983	52(1)	35
	1983	52(2)	56
	1985	54(1)	42
	1989	58(2)	118
	1992	61(2)	45
	1997	65(1/2)	67
KHAN, A R …..	1991	60(2)	70
KRISHNAPILLAI, S …..	1983	52(1)	13
	1986	55(2)	71
	1988	57(2)	34

	1992	61(1)	04
	1992	61(2)	59
KRISHNARAJAH, P	1985	54(2)	91
KUDAGAMAGE, S N	1987	56(1)	41
	1991	60(2)	46
KULASEGARAM, S	1983	52(1)	21
	1983	52(1)	35
	1983	52(2)	56
	1991	60(2)	76
KULATUNGA, S M	1987	56(1)	05
	1987	56(1)	22
KUMAR, P D S	1996	64(1/2)	35
KUSTAMIYATI BAMBANG	1988	57(2)	65
LAI, R D	1991	60(2)	56
LAKHANPUL, SAMAN	1990	59(2)	89
LAKSHMIE, M S D	1987	56(1)	41
	1988	57(1)	11
LATIFF, RAZIA	1986	55(1)	44
	1988	57(1)	16
	1988	57(1)	20
LIYANAGE, A C	1988	57(2)	46
	1993	62(1)	32
	1997	65(1/2)	58
MAINUDDIN AHMED	1993	62(1)	25
MAINUL HUQ	1993	62(1)	25
MANUELPILLAI, M E K	1984	53(1/2)	19
MIR AHMAD ALI	1993	62(1)	25
MISHRA, S K	1991	60(1)	16
MISRA, S K	1990	59(1)	29
MOHAMMAD ALI	1993	62(1)	25

MOHAMED, M T ZIYAD …..	1986	55(1)	36
MOHOTTI, M …..	1993	62(2)	47
MOLLA, M M …..	1992	61(1)	15
MUKHOPADHYAY, A …..	1992	61(2)	39
MUMFORD, J D …..	1992	61(1)	24
	1994	63(2)	70
NAGAHAULLA, S M …..	1996	64(1/2)	05
	1997	65(1/2)	34
NALLIAH, P …..	1984	53(1/2)	23
	1985	54(1)	11
NAS, S …..	1992	61(2)	51
NATHANIEL, R K …..	1985	54(1)	32
	1986	55(1)	14
NAVARATNE, S …..	1992	61(2)	59
OZDEMIR,F …..	1992	61(2)	51
PALLEMULLA, D …..	1992	61(2)	45
	1992	61(2)	59
PARAMASIVAM, S …..	1984	53(1/2)	23
PEIRIS, H S N …..	1987	56(2)	58
	1992	61(1)	20
PERERA, CHRISANTHA …..	1985	54(1)	26
PERERA, E R …..	1988	57(2)	68
PERERA, M B A …..	1984	53(1/2)	11
	1989	58(2)	92
	1990	59(1)	37
PERERA, P S F …..	1997	65(1/2)	58
PREMATUNGE, A K …..	1990	59(2)	82
PUNYASIRI, P A N …..	1985	54(1)	42
	1985	54(2)	73

	1986	55(1)	28
	1988	57(1)	11
	1989	58(2)	118
	1990	59(1)	24
	1993	62(1)	04
	1993	62(1)	32
	1996	64(1/2)	05
	1997	65(1/2)	58
RAJASEKAR, R …..	1989	58(1)	25
RAJASEKARAN, P …..	1996	64(1/2)	12
RAMAKRISHNA, P …..	1991	60(2)	56
	1996	64(1/2)	35
RANAMUKAARACHCHI,S L …..	1994	63(1)	28
RANAWEERA, A S …..	1988	57(1)	24
	1989	58(1)	56
	1991	60(1)	22
RASHID, A …..	1985	54(2)	54
RATNAYAKE, R M A …..	1992	61(1)	31
SAMARASINGHAM, S …..	1988	57(2)	65
	1990	59(1)	16
SAMARASINGHE, SEETHA M …..	1994	63(2)	78
SAMARAWEERA, D S A …..	1985	54(2)	78
	1988	57(1)	24
	1988	57(2)	40
	1988	57(2)	55
	1989	58(1)	56
	1989	58(2)	87
	1991	60(1)	22
SANDANAM, S …..	1984	53(1/2)	43
	1985	54(2)	73
SANNIGRAHI, S …..	1992	61(2)	39
SARATHCHANDRA,K …..	1997	65(1/2)	05
SARATHCHANDRA,T M …..	1988	57(2)	50
	1990	59(2)	62
	1997	65(1/2)	05

SARWAR, M …..	1985	54(1)	18
SENANAYAKE, Y D A …..	1991	60(2)	76
SENARATNE, T S N …..	1991	60(2)	64
SENAVIRATNE, POORNA …..	1988	57(1)	16
	1988	57(1)	20
SHANMUGARAJAH, V …..	1983	52(1)	35
	1991	60(2)	76
	1992	61(2)	45
	1994	63(2)	94
SHARMA, D K …..	1991	60(1)	16
SHARMA, K L …..	1991	60(1)	16
SHARMA, V S …..	1989	58(1)	25
SINCLAIR, A H …..	1988	57(2)	73
	1993	62(2)	53
SINGH, I D …..	1990	59(2)	89
SIVAPALAN, K …..	1983	52(1)	31
	1983	52(2)	84
	1984	53(1/2)	47
	1985	54(1)	26
	1986	55(1)	04
	1986	55(2)	58
SIVAPALAN, P …..	1983	52(1)	05
	1983	52(2)	81
	1985	54(1)	04
	1985	54(1)	23
	1985	54(2)	62
	1986	55(2)	53
	1988	57(2)	34
	1990	59(1)	04
	1993	62(2)	41
SIVASUBRMANIAM, S …..	1984	53(1/2)	43
SIVENDIRAN,M …..	1991	60(2)	64
SUD, R G …..	1989	58(1)	73
	1990	59(1)	29

SURESHKUMAR, B	1993	62(2)	47
THEVATHASAN, A	1985	54(2)	78
	1987	56(2)	87
	1989	58(2)	87
THEVADASAN, T	1987	56(2)	87
THIRUGNANASUNDARAN, K	1987	56(2)	67
	1988	57(2)	68
	1989	58(1)	50
	1989	58(2)	104
	1990	59(1)	09
TURNER, S T D	1994	63(1)	10
UDUMULLA, G P	1993	62(2)	47
UPALI, P D	1988	57(2)	50
	1990	59(2)	62
VITANA, S B	1997	65(1/2)	34
VITHANA, D W	1994	63(1)	04
VITARANA, S I	1997	65(1/2)	34
WADASINGHE, G	1983	52(2)	64
	1986	55(2)	94
	1987	56(2)	58
WAHEED, A	1991	60(2)	70
WANIGASUNDARA, W A D P	1989	58(1)	09
WARNASIRI, H A P	1997	65(1/2)	11
WATSON, M	1986	55(1)	28
WEERASINGHE, D K	1986	55(1)	36
WETTASINGHE, D T	1983	52(2)	64
	1986	55(2)	94
WICKRAMASINGHE, K N	1984	53(1/2)	23
	1985	54(1)	11
	1986	55(1)	22
	1986	55(2)	77
	1988	57(1)	05

WICKRAMASINGHE, V …..	1986	55(1)	36
WIJEDASA, M A …..	1984	53(1/2)	43
	1985	54(1)	11
WIJERATNE, M A …..	1994	63(1)	04
	1996	64(1/2)	21
WIJETUNGA, W M S …..	1990	59(2)	52
WIJEWARDENA, R G A …..	1988	57(2)	50
WILLARACHCHI, H K …..	1988	57(2)	55
WILSON, M J …..	1993	62(2)	53
WIMALADASA, G D …..	1986	55(1)	22
	1988	57(2)	73
YAMANISHI, TEI …..	1989	58(1)	40
ZIYAD MOHAMED, M T …..	1997	65(1/2)	58

AUTHOR INDEX WITH TITLES OF PAPERS

		Vol	Page
A			
ABEYSEKARA, A R			
1988	Preliminary observations on susceptibility of tea clones to white grub, *Holotrichia disparilis* Arrow (Coleoptera:Scrabaeidae) attack	57(2)	68
ABEYSEKARA, U P			
1997	Effect of sprays of plant growth regulator hydrogen cyanamide(dormax) on yield of tea	65(1/2)	67
1997	The effect of post prune operations on soil physical properties and yield of tea	65(1/2)	76
ABEYSINGHE, L S			
1997	Environment friendly pest control agents:Use of BIO 1020 to control white grub damage on tea	65(1/2)	34
ADDAICKAN, S			
1983	Soft Root Rot-a new root disease of tea	52(2)	52
1987	An inexpensive and effective method for the control of red root disease of tea	56(1)	05
1987	Recent developments in the chemical control of blister blight leaf disease of tea-effectiveness of EBI fungicides	56(1)	22
AGARWAL, BEENA			
1989	Factors affecting quality of tea during processing	58(1)	64

AHAMED, M

1992 A population model of *Helopeltis* in Bangladesh tea 61(1) 24

1994 System analysis approach in tea pest management in Bangladesh 63(2) 70

AHMED, N

1991 Adventitious root formation in tea cuttings planted on different dates 60(2) 70

ALAM, A F M BADRUL

1985 Studies on the progenies of a cross between diploid and tetraploid tea 54(2) 54

ALAWATTEGAMA, T

1988 Removal of stalk in leafy grades of tea by colour mismatch technique 57(2) 55

AMARAKOON, A M T

1990 An improved procedure for the isolation of flavanols from tea leaves 59(1) 24

1991 Chemical Constituents in different parts of fresh tea flush and their contribution to overall quality in made tea 60(1) 36

AMARASEKARA, A R

1986 The influence of methods of weed management in tea on the surface layer soil properties of an ultisol 55(1) 28

1986 Effect of urea and ammonium sulphate on sulphur nutrition of tea 55(2) 77

1986 Effect of soil reconditioning on growth and yield of tea 55(2) 84

1986 Economics of rehabilitating tea land before replanting: some exploration 55(2) 89

1997 The effect of post prune operations on soil physical properties and yield of tea 65(1/2) 76

AMARASINGHE, L D

1990 Clonal susceptibility and population dynamics of tea red spider mite, *Oligonychus coffeae* Nietner (Acarina: Tetranychidae) under laboratory conditions 59(1) 09

1993 Entomopathogenic nematodes (Rhabditida: Heterorhabditidae and Steinernematidae) in Sri Lanka as bio-control agents 62(1) 11

1993 Efficacy of entomopathogenic nematodes to control up-country live-wood termite, *Postelectrotermes militaris* 62(1) 16

1993 Potential of using entomopathogenic nematodes to control up-country live-wood termite (*Postelectrotermes militaris*) 62(2) 66

ANANDACOOMARSWAMY, A

1985 Economics feasibility of trickle irrigation in tea:some preliminary results 54(2) 84

1986 The influence of methods of weed management in tea on the surface layer soil properties of an ultisol 55(1) 28

1986 Effect of soil reconditioning on growth and yield of tea 55(2) 84

1986 Economics of rehabilitating tea land before replanting:some exploration 55(2) 89

1987 Effect of pre-emergent herbicides on N-mineralization and microbial population 56(1) 41

1988 Effect of inter-planting dadaps *(Erythrina lithosperma)* in tea *(Camellia sinensis)* on soil physical properties of an ultisol 57(1) 11

1991 Effect of plant population on water use of mature clonal tea 60(2) 46

1991 A method to determine potential evapotranspiration rates in tea plantations 60(2) 64

1997 The effect of post prune operations on soil physical properties and yield of tea 65(1/2) 76

ANANDACOOMARASWAMY, S

1986 Effect of urea and ammonium sulphate on sulphur nutrition of tea 55(2) 77

1987 Effect of increasing levels of phosphate on sulphur mineralization of an ultisol under jungle and tea 56(1) 35

1990 Aluminium in Black tea 59(1) 04

1990 Macro and micro nutrients in Sri Lankan black tea and brew 59(2) 52

1991 Effect of increasing level of lime ($CaCo_3$) on soil chemical properties of acid soils 60(1) 04

1997 Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition 65(1/2) 11

ANANDAVIJAYAN, A

1987 Effect of pre-emergent herbicides on N-mineralization and microbial population 56(1) 41

1989 Effect of sifting of dhool during fermentation on quality of manufactured black tea 58(2) 111

ANPALAGAN, V T

1987 Control of root-lesion nematode, *Pratylenchus loosi* in contaminated tea nursery plants 56(2) 95

ARULPRAGASAM, P V

1983	Soft Root rot - a new root disease of tea	52(2)	52
1984	Ring-barking of young tea plants in new clearings	53(1/2)	04
1986	Studies on the tissue culture of tea (*Camellia sinensis* (L.) O. *Kuntze*). 1. Development of a culture method for multiplication of shoots	55(1)	44
1987	An inexpensive and effective method for the control of red root disease of tea	56(1)	05
1987	Recent development in the chemical control of blister blight leaf disease of tea-effectiveness of EBI fungicides	56(1)	22
1988	Studies on the tissue culture of tea (*Camellia sinensis*(L.)O.Kuntze). 2. Rooting of shoots produced in culture	57(1)	16
1988	Studies on the tissue culture of tea (*Camellia sinensis* (L.) O. Kuntze) 3. Regeneration of plants from cotyledon callus culture	57(1)	20
1990	Progress towards the commercial propagation of tea by tissue culture techniques	59(2)	62

B

BADYAL, J

1989	Varietal and seasonal variations in chemical constituents of tea (*Camellia sinensis* (L.) O. Kuntze) in Himachal Pradesh	58(1)	73
1990	Estimation and seasonal variations of macro and micro nutrients in tea of Himachal Pradesh	59(1)	29

BAKER, RICHARD M

1991 Effect of increasing levels of lime ($CaCo_3$) on soil chemical properties of acid soils 60(1) 04

BALAKRISHNAN T

1990 Macro and micro nutrients in Sri Lankan black tea and tea brew 59(2) 52

1992 Effect of dolomite on soil reaction and nutrient availability in tea soils 61(1) 04

BALASINGHEM A

1997 Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition 65(1/2) 11

BALASURIYA, J

1991 Effect of plant population on water use of mature clonal tea 60(2) 46

1996 Effect of altitude on shoot development of clonal tea with special reference to clonal selection and harvesting intervals 64(1/2) 51

1997 Effect of saturation vapour pressure deficit of air on shoot growth of clonal tea (*Camellia sinensis* L.) under controlled environmental conditions 65(1/2) 46

BASNAYAKE, B M N R

1991 Effect of plant population on water use of mature clonal tea 60(2) 46

BHAN, S

1990 Estimation and seasonal variations of macro and micro nutrients in tea of Himachal Pradesh 59(1) 29

BOTHEJU, W S

1987 Extent of non-enzymic oxidation in black tea processing 56(2) 83

1989 An index for assessing the quality of Uva seasonal black tea 58(1) 40

C

CHACKO, K

1996 Heat pipe heat exchangers for waste heat recovery 64(1/2) 35

CHANDEL, K P S

1990 Germination and desiccation tolerance of tea (*Camellia sinensis*(L.) O. Kuntze) seeds and feasibility of cryopreservation (Short Communication) 59(2) 89

CHAUDHURY, REKHA

1990 Germination and desiccation tolerance of tea (*Camellia sinensis*(L.) O. Kuntze) seeds and feasibility of cryopreservation (Short Communication) 59(2) 89

CHOWDHURY, MUQTADIR

1985 Studies on the progenies of a cross between diploid and tetraploid tea 54(2) 54

D

DAHANAYAKE, K D

1986 Effect of harvesting on the growth and yield of low grown clonal tea 55(1) 14

DE SILVA, JAYANTHI

1985	Tea constituents and export standards of Sri Lanka teas	54(1)	26
1988	Analysis of major fatty acid in tea	57(2)	46
1989	An index for assessing the quality of Uva seasonal black tea	58(1)	40
1991	Chemical Constituents in different parts of fresh tea flush and their contribution to overall quality in made tea	60(1)	36
1993	Correlation of major flavanols of some tea clones with quality of tea	62(1)	04

DE SILVA, M S D LUXMEI

1994	Management of *Crassocephalum crepidiodes* and *Erigeron sumatrensis* in High-grown tea	63(1)	28

DE SILVA, W C A

1994	Status review of energy utilization by the tea industry in Sri Lanka	63(2)	46
1994	Some energy saving achievements of the tea industry in Sri Lanka	63(2)	59
1996	Thermal energy demands of the tea industry and the role of fuelwood trees in a self sustaining environment	64(1/2)	43

E

EDIRIWEERA, D P

1988	A Low cost voltage stabilizer for infra-red tea moisture meters used in tea factories	57(2)	40
1991	Electronic Servocontrol for withering troughs	60(1)	30

EDIRIWEERA, V L

1986 Influence of levels of nitrogen and potassium fertilizers on chlorophyll content in mature clonal tea leaves 55(2) 71

EKANAYAKE, A

1987 A study of micro-organisms in black tea and their activities associated with storage 56(1) 12

1987 Extent of non-enzymic oxidation in black tea processing 56(2) 83

1988 Analysis of major fatty acids in tea 57(2) 46

EKANAYAKE, P B

1994 Effect of different mulching materials on soil properties and growth of young tea 63(1) 04

F

FERNANDO, V

1983 Humified phenol-rich plant residues and soil urease activity 52(1) 31

1988 Fate of biuret in tea soils 57(1) 05

FONSEKA, J P

1990 Assessment of tea area in Sri Lanka 59(1) 37

FORDHAM, R

1996 Effects of environmental factors on growth and yield of tea *(Camellia sinensis* L.)in the low-country wet zone of Sri Lanka. 64(1/2) 21

G

GALAHITIYAWA, G

1988 Removal of stalk in leafy grades of tea by colour mismatch technique 57(2) 55

GAIL SMITH B

1997 Effect of saturation vapour pressure deficit of air on shoot growth of clonal tea (*Camellia sinensis* L.) under controlled environmental conditions 65(1/2) 46

GAMAGE, A K

1985 Use of Oxyfluorfen as a pre-emergent weedkiller in young tea 54(2) 73

GNANAPRAGASAM, N C

1983 Incidence of nematode damage in the mid-country caused by the burrowing nematode, *Radopholus similis* (Short Communication) 52(1) 41

1984 Influence of inoculum level and temperature on the population build-up and pathogenicity of the Root-lesion nematode(*Pratylenchus loosi* Loof)of tea 53(1/2) 19

1985 The strategy for replanting eelworm infested areas (Short Communication) 54(1) 46

1985 Dietary amino acid requirements of the tea tortrix, *Homona coffearia* Nietner (Lepidoptera:Tortricidae) reared *in vitro* 54(2) 62

1987 Control of root-lesion nematode, *Pratylenchus loosi* in contaminated tea nursery plants 56(2) 95

1989 Varietal responses of pepper to infestation by the burrowing nematode, *Radopholus similis* 58(1) 05

1989 Pathogenicity of the burrowing nematode, *Radopholus similis* to young tea at different initial density 58(2) 83

1990 *In vitro* culturing of the burrowing nematode *Radopholus similis,* a serious root pest of tea, on tissue culture raised from carrot and ginger 59(2) 82

1993 Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea 62(2) 47

GOKALP, H Y

1992 Effect of rolling method on physical characteristics of rolled tea leaves 61(2) 51

GEORGE, P J

1996 Heat pipe heat exchangers for waste heat recovery 64(1/2) 35

GOLDEN, D C

1984 Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication) 53(1/2) 43

GOONATILAKE, R B

1988 Fate of biuret in tea soils 57(1) 05

GUNARATNE, G P

1997 Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition . 65(1/2) 11

GUNASEKARA, T S

1992 Effect of pH of copper fungicides on germination of *Exobasidium vexans* 61(1) 31

1994 Isolation and enumeration of microbial inhabitants of tea phylloplane 63(1) 19

H

HAMID, F S

1991 Adventitious root formation in tea cuttings planted in different dates 60(2) 70

HERATH, H M G

1985 Economics feasibility of trickle irrigation in tea: some preliminary results 54(2) 84

1986 Economics of rehabilitating tea land before replanting :some exploration 55(2) 89

HERATH, N

1986 Tea cream-a complex story 55(1) 04

1989 Effect of sifting of dhool during fermentation on quality of manufactured black tea 58(2) 111

1990 An improved procedure for the isolation of flavanols from tea leaves 59(1) 24

1991 Chemical constituents in different parts of fresh tea flush and their contribution to overall quality in made tea 60(1) 36

1993 Correlation of major flavanols of some tea clones with quality of tea 62(1) 04

1996 A preliminary study of the phytoalexins produced in the tea leaf in relation to the blister blight leaf disease caused by *Exobasidium Vexans* massee of tea 64(1/2) 05

HERATH, U B

1989 Pathogenicity of the burrowing nematode, *Radopholus similis* to young tea at different initial density 58(2) 83

HETTIARACHCHI, L S K

1993 Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications 62(2) 53

1997 Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition. 65(1/2) 11

HIRIMBUREGAMA, K

1997 Root formation on *in vitro* micropropagated shoots of *Camellia sinensis* L. 65(1/2) 05

HOLT, J

1992 A population model of *Helopeltis* in Bangladesh tea 61(1) 24

1994 System analysis approach in tea pest management in Bangladesh 63(2) 70

HOMINICK, W M

1993 Entomopathogenic nematodes (Rhabditida: Heterorhabditidae and Steinernematidae) in Sri Lanka as bio-control agents 62(1) 11

1993 Efficacy of entomopathogenic nematodes to control up-country live-wood termite, *Postelectrotermes militaris* 62(1) 16

1993 Potential of using entomopathogenic nematodes to control up-country live-wood termite (*Postelectrotermes militaris*) 62(2) 66

HUMBEL, R

1984 Comparative study of the relationship of tea yields and area variations due to slopes in hilly terrain using aerial photographs and survey maps 53(1/2) 11

1990 Decreasing extent of tea plantations. Chance for Agricultural diversification or ecological threat? 59(2) 65

I

ILLANGANTILAKE, S G

1985 Economics feasibility of trickle irrigation in tea:some preliminary results 54(2) 84

J

JAYAKODY, J A A M

1994 Application of geographical information systems to the tea industry 63(1) 10

JAYASEKARA, A P D A

1997 Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea 65(1/2) 67

JAYASINGHE, H D

1985 Studies on methods of bringing clonal tea into bearing in the Low-country of Sri Lanka 54(1) 32

1986 Effect of harvesting on the growth and yield of low grown clonal tea 55(1) 14

JAYASINGHE, J A S K V

1997 Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea 65(1/2) 67

JAYAWEERA, H

1989 Effect of sifting of dhool during fermentation on quality of manufactured black tea 58(2) 111

JAYAWICKRAMA, P K

1997 Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea 65(1/2) 67

JEBAMALAI, A S

1987 Control of root-lesion nematode, *Pratylenchus loosi* in contaminated tea nursery plants 56(2) 95

JEYACHANDRAN, I C R

1989 Recent observations on resistance and susceptibility of tea clones to the shot-hole borer beetle, *Xyleborus fornicatus* Eichh. (Coleoptera: Scolytidae) 58(1) 50

1989 Distinctive morphological characters of termites in high and mid grown tea in Sri Lanka 58(2) 104

JEYACHANDRAN, N

1992 Effect of dolomite on soil reaction and nutrient availability in tea soils 61(1) 04

JONES, GWYN E

1989 An evaluation of sources of information used by tea plantation in Sri Lanka 58(1) 09

K

KANAGANATHAN, S

1987 A computer programme for the efficient direction of field operations in tea estates 56(1) 48

KANDIAH, S

1986 Root influence on shoot development in tea (*Camellia sinensis)* (L.) O. Kuntze) following shoot pruning 55(2) 94

1987 A computer programme for the efficient direction of field operations in tea estates 56(1) 48

KANTHASAMY, P

1987 A study of micro-organisms in black tea and their activities associated with storage 56(1) 12

KARIYAWASAM, W S

1987 A study of micro-organisms in black tea and their activities associated with storage 56(1) 12

1987 Extent of non-enzymic oxidation in black tea processing 56(2) 83

KATHIRAVETPILLAI, A

1983	Effect of shade, water supply and nitrogen on the distribution of mineral nutrients and total carbohydrate resourcesin young tea *(Camellia sinensis* (L.) O. Kuntze)	52(1)	21
1983	Effect of growth substances on rooting of slow rooting tea clones	52(1)	35
1983	Influence of mother leaf of cutting and of time and frequency of disbudding and decapitation of the new shoot on growth of young tea *(Camellia sinensis.* L.)	52(2)	56
1985	The use of Oxyfluorfen as a pre-emergent herbicide in tea	54(1)	42
1989	Effect of additives on the phytotoxicity of glyphosate to *Panicum repens* (L.) Beauv	58(2)	118
1992	Effect of grafting fresh cuttings on yield and drought resistance in tea	61(2)	45
1997	Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea	65(1/2)	67

KHAN, A R

1991	Adventitious root formation in tea cuttings planted on different dates	60(2)	70

KRISHNAPILLAI, S

1983	Effect of cutting and defoliation on nitrogen uptake by young tea plants *(Camellia sinensis* L.) grown in sand culture	52(1)	13
1986	Influence of levels of nitrogen and potassium fertilizers on chlorophyll content in mature clonal tea leaves	55(2)	71
1988	Supply of magnesium for mature tea in Sri Lanka	57(2)	34

1992 Effect of dolomite on soil reaction and nutrient availability in tea soils 61(1) 04

1992 Studies on tea and drought 1. Some observations on drought effects on physiology of tea 61(2) 59

KRISHNARAJAH, P

1985 Soil erosion control measures for tea land in Sri Lanka 54(2) 91

KUDAGAMAGE, S N

1987 Effect of pre-emergent herbicides on N-mineralization and microbial population 56(1) 41

1991 Effect of plant population on water use of mature clonal tea 60(2) 46

KULASEGARAM, S

1983 Effect of shade, water supply and nitrogenon the distribution of mineral nutrients and total carbohydrate resources in young tea (*Camellia sinensis* (L.) O. Kuntze) 52(1) 21

1983 Effect of growth substances on rooting of slow rooting tea clones 52(1) 35

1983 Influence of mother leaf of cutting and of time and frequency of disbudding and decapitation of the new shoot on growth of young tea (*Camellia sinensis*. L.) 52(2) 56

1991 Nursery plant attributes as criteria for selection of new tea clones 60(2) 76

KULATUNGA, S M

1987 An inexpensive and effective method for the control of red root disease of tea 56(1) 05

1987 Recent developments in the chemical control of blister blight leaf disease of tea-effectiveness of EBI fungicides 56(1) 22

KUMAR, P D S

1996 Heat pipe heat exchangers for waste heat recovery 64(1/2) 35

KUSTAMIYATI BAMBANG

1988 Indonesian jasmine tea 57(2) 65

L

LAI, R D

1991 Outturn charts 60(2) 56

LAKHANPAUL, SUMAN

1990 Germination and desiccation tolerance of tea (*Camellia sinensis*(L.) O. Kuntze) seeds and feasibility of cryopreser--vation(Short Communication) 59(2) 89

LAKSHMIE, M S D

1987 Effect of pre-emergent herbicides on N-mineralization and microbial population 56(1) 41

1988 Effect of inter-planting dadaps *(Erythrina lithosperma)* in tea *(Camellia sinensis)* on soil physical properties of an ultisol 57(1) 11

LATIFF, RAZIA

1986 Studies on the tissue culture of tea *(Camellia sinensis)(L) O. Kuntze).* 1. Development of a culture method for multiplication of shoots 55(1) 44

1988 Studies on the tissue culture of tea *(Camellia sinensis*(L.)O.Kuntze). 2. Rooting of shoots produced in culture 57(1) 16

1988 Studies on the tissue culture of tea *(Camellia sinensis* (L.) O. Kuntze) 3. Regeneration of plants from cotyledon callus culture 57(1) 20

LIYANAGE, A C

1988 Analysis of major fatty acids in tea 57(2) 46

1993 High-performance liquid chromoto--graphy of chlorophylls in tea (*Camellia sinensis*) 62(1) 32

1997 Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea 65(1/2) 58

M

MAINUDDIN AHMED

1993 *In vitro* studies on fungicides against *Colletotrichum gloeosporoides* (Penz.) Sac-the die back of tea 62(1) 25

MAINUL HUQ

1993 *In vitro* studies on fungicides against *Colletotrichum gloeosporoides* (Penz.) Sac-the die back of tea 62(1) 25

MANUELPILLAI, M E K

1984 Influence of inoculum level and temperature on the population build-up and pathogenicity of the Root-lesion nematode (*Pratylenchus loosi* Loof) of tea 53(1/2) 19

MIR AHMAD ALI

1993 *In vitro* studies on fungicides aginst *Colletotrichum gloeosporoides* (Penz.) Sac-the die back of tea 62(1) 25

MISHRA, S K

1991 Performance of promising tea strains *(Camellia sinensis* (L) O. Kuntze) of Kangra Valley in Himachal Pradesh 60(1) 16

MISRA, S K

1990 Estimation and seasonal variations of macro and micro nutrients in tea of Himachal Pradesh 59(1) 29

MOHAMMAD ALI

1993 *In vitro* studies on fungicides against *Colletotrichum gloeosporoides* (Penz.) Sac-the die back of tea 62(1) 25

MOHAMED, M T ZIYAD

1986 Chemistry of tea *(Camellia sinensis)* leaf surface 55(1) 36

(see also **Ziyad Mohamed, M T**)

MOHOTTI M

1993 Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea 62(2) 47

MOLLA, M M

1992 Effect on polyphenol oxidase activity in extracts of tea leaf prepared by maceration at different temperatures 61(1) 15

MUKHOPADHYAY, A

1992 Laboratory evaluation of predatory efficiency of *Geocoris ochropterus* Fieber(Hemiptera:Lygaeidae) on some common tea pests 61(2) 39

MUMFORD, J D

1992 A population model of *Helopeltis* in Bangladesh tea 61(1) 24

1994 System analysis approach in,tea pest management in Bangladesh 63(2) 70

N

NAGAHAULLA, S M

1996 A preliminary study of the phytoalexins produced in the tea leaf in relation to the blister blight leaf disease caused by *Exobasidium Vexans* massee of tea 64(1/2) 05

1997 Environment friendly pest control agents:Use of BIO 1020 to control white grub damage on tea 65(1/2) 34

NALLIAH, P

1984 A comparative study of the efficiency of utilization of urea and ammonium sulphate by mature tea plants using N-15 labelled fertilizers 53(1/2) 23

1985 Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils 54(1) 11

NAS, S

1992 Effect of rolling method on physical characteristics of rolled tea leaves 61(2) 51

NATHANIEL, R K

1985 Studies on methods of bringing clonal tea into bearing in the Low-country of Sri Lanka 54(1) 32

1986 Effect of harvesting on the growth and yield of low grown clonal tea 55(1) 14

NAVARATNE, S

1992 Studies on tea and drought 1. Some observations on drought effects on physiology of tea 61(2) 59

O

OZDEMIR, F

1992 Effect of rolling method on physical characteristics of rolled tea leaves 61(2) 51

P

PALLEMULLA, D

1992 Effect of grafting fresh cuttings on yield and drought resistance in tea 61(2) 45

1992 Studies on tea and drought 1. Some observations on drought effects on physiology of tea 61(2) 59

PARAMASIVAM, S

1984 A comparative study of the efficiency of utilization of urea and ammonium sulphate by mature tea plants using N-15 labelled fertilizers 53(1/2) 23

PEIRIS, H S N

1987 The analysis of some aspects of weather and moisture status of soil in the low country to determine the most suitable time for planting tea 56(2) 58

1992 Effect of levels of organic carbon on the persistency of diuron (3-(3,4-dichlorophenyl)-1-1 dimethyl urea) in an acid sandy soil 61(1) 20

PERERA, CHRISANTHA

1985 Tea constituents and export standards of Sri Lanka teas 54(1) 26

PERERA, E R

1988 Preliminary observations on susceptibility of tea clones to white grub,*Holotrichia disparilis* Arrow (Coleoptera:Scrabaeidae) attack 57(2) 68

PERERA, M B A

1984 Comparative study of the relationship of tea yields and area variations due to slopes in hilly terrain using aerial photographs and survey maps 53(1/2) 11

1989 Planned landuse for the tea country 58(2) 92

1990 Assessment of tea area in Sri Lanka 59(1) 37

PERERA, P S F

1997 Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea 65(1/2) 58

PREMATUNGE, A K

1990 *In vitro* culturing of the burrowing nematode *Radopholus similis,* a serious root pest of tea, on tissue culture raised from carrot and ginger 59(2) 82

PUNYASIRI, P A N

1985 The use of Oxyfluorfen as a pre-emergent herbicide in tea 54(1) 42

1985 Use of oxyfluorfen as a pre-emergent weedkiller in young tea 54(2) 73

1986 The influence of methods of weed management in tea on the surface layer soil properties of an ultisol 55(1) 28

1988 Effect of inter-planting dadaps *(Erythrina lithosperma)* in tea *(Camellia sinensis)* on soil physical properties of an ultisol 57(1) 11

1989 Effect of additives on the phytotoxicity of glyphosate to *Panicum repens* (L.) Beauv. 58(2) 118

1990 An improved procedure for the isolation of flavanols from tea leaves 59(1) 24

1993 Correlation of major flavanols of some tea clones with quality of tea 62(1) 04

1993 High-performance liquid chromotography of chlorophylls in tea *(Camellia sinensis)* 62(1) 32

1996 A preliminary study of the phytoalexins produced in the tea leaf in relation to the blister blight leaf disease caused by *Exobasidium Vexans* massee of tea 64(1/2) 05

1997 Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea 65(1/2) 58

R

RAJASEKAR, R

1989 Interaction between IBA, certain micro-nutrients and phenolic acids in relation to rooting of tea cuttings 58(1) 25

RAJASEKARAN, P

1996 An *in vitro* and *ex vitro* rooting of micropropagated shoots of tea *(Camellia spp.)* 64(1/2) 12

RAMAKRISHNA, P

1991 Outturn charts 60(2) 56

1996 Heat pipe heat exchangers for waste heat recovery 64(1/2) 35

RANAMUKAARACHCHI, S L

1994 Management of *Crassocephalum crepidiodes* and *Erigeron sumatrensis* in High-grown tea 63(1) 28

RANAWEERA, A S

1988 Study of fermenting rates of clones using chloroform test 57(1) 24

1989 Therotical basis of estimation of moisture content by capacitance method 58(1) 56

1991 Quality of CTC teas made from different tea *(Camellia sinensis*,L) clones 60(1) 22

RASHID, A

1985 Studies on the progenies of a cross between diploid and tetraploid tea 54(2) 54

RATNAYAKE, R M A

1992 Effect of pH of copper fungicides on germination of *Exobasidium vexans* 61(1) 31

SAMARASINGHAM, S

1988	Indonesian jasmin tea	57(2)	65
1990	A method for processing of green tea	59(1)	16

SAMARASINGHE, SEETHA M

1994	Pathogenicity of entomopathogenic agents against termites employing insecticidal bioassay with borax-toxicity method	63(2)	78

SAMARAWEERA, D S A

1985	Water activity in tea	54(2)	78
1988	Study of fermenting rates of clones using chloroform test	57(1)	24
1988	A Low cost voltage stabilizer for infra-red tea moisture meters used in tea factories	57(2)	40
1988	Removal of stalk in leafy grades of tea by colour mismatch technique	57(2)	55
1989	Theoretical basis of estimation of moisture content by capacitance method	58(1)	56
1989	Water activity in relation to the size of black tea particles	58(2)	87
1991	Quality of CTC teas made from different tea *(Camellia sinensis*,L) clones	60(1)	22

SANDANAM, S

1984	Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication)	53(1/2)	43

1985 Use of oxyfluorfen as a pre-emergent weedkiller in young tea 54(2) 73

SANNIGRAHI, S

1992 Laboratory evaluation of predatory efficiency of *Geocoris ochropterus* Fiber (Hemiptera:Lygaeidae) on some common tea pests 61(2) 39

SARATHCHANDRA, K

1997 Root formation on *in vitro* micro-propagated shoots of *Camellia sinensis* L. 65(1/2) 05

SARATHCHANDRA, T M

1988 Studies on the tissue culture of tea (*Camellia sinensis* (L.) O. Kuntze). 4. Somatic embroygenesis in stem and leaf callus culture 57(2) 50

1990 Progress towards the commercial propagation of tea by tissue culture techniques 59(2) 62

1997 Root formation on *in vitro* micro-propagated shoots of *Camellia sinensis* L. 65(1/2) 05

SARWAR, M

1985 Callus formation from explaned organs of tea (*Camellia sinensis* L.) 54(1) 18

SENANAYAKE, Y D A

1991 Nursery plant attributes as criteria for selection of new tea clones 60(2) 76

SENARATNE, T S N

1991 A method to determine potential evapotranspiration rates in tea plantations 60(2) 64

SENAVIRATNE, POORNA

1988 Studies on the tissue culture of tea *(Camellia sinensis*(L.)O.Kuntze). 2. Rooting of shoots produced in culture 57(1) 16

1988 Studies on the tissue culture of tea *(Camellia sinensis* (L.) O. Kuntze) 3. Regeneration of plants from cotyledon callus culture 57(1) 20

SHANMUGARAJAH, V

1983 Effect of growth substances on rooting of slow rooting tea clones 52(1) 35

1991 Nursery plant attributes as criteria for selection of new tea clones 60(2) 76

1992 Effect of grafting fresh cuttings on yield and drought resistance in tea 61(2) 45

1994 Selection criteria for tea(A Review) 63(2) 94

SHARMA, D K

1991 Performance of promising tea strains *(Camellia sinensis* (L) O. Kuntze) of Kangra Valley in Himachal Pradesh 60(1) 16

SHARMA, K L

1991 Performance of promising tea strains *(Camellia sinensis* (L) O. Kuntze) of Kangra Valley in Himachal Pradesh 60(1) 16

SHARMA, V S

1989 Interaction between IBA, certain micro-nutrients and phenolic acids in relation to rooting of tea cuttings 58(1) 25

SINCLAIR, A H

1988 Assessment of soil potassium and its uptake by ryegrass 57(2) 73

1993 Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications 62(2) 53

SINGH, I D

1990 Germination and desiccation tolerance of tea (*Camellia sinensis*(L.) O. Kuntze) seeds and feasibility of cryopreservation (Short Communication) 59(2) 89

SIVAPALAN, K

1983 Humified phenol-rich plant residues and soil urease activity 52(1) 31

1983 Phenolics and the exchange capacity of humic materials (Short Communication) 52(2) 84

1984 Humification of polyphenol-rich plant residues (Short Communication) 53(1/2) 47

1985 Tea constituents and export standards of Sri Lanka teas 54(1) 26

1986 Tea cream - a complex story 55(1) 04

1986 The biochemistry of soil humus-some current concepts 55(2) 58

SIVAPALAN, P

1983 Technological inputs and production trends of tea in Sri Lanka 52(1) 05

1983 Minimising soil erosion on tea estates in respect of manual weed control 52(2) 81

1985 An integrated management strategy to minimize the economic damage to mature tea, caused by the shot-hole borer beetle (*Xyleborus fornicatus Eichh.*) 54(1) 04

1985 Resting of tea fields 54(1) 23

1985 Dietary amino acid requirements of the tea tortrix, *Homona coffearia* Nietner (Lepidoptera:Tortricidae) reared *in vitro* 54(2) 62

1986 A strategy to adopt the appropriate genetic diversity for planting clonal tea 55(2) 53

1988 Supply of magnesium for mature tea in Sri Lanka 57(2) 34

1990 Aluminium in black tea 59(1) 04

1993 Shade and green manure trees in tea-A holistic appraisal 62(2) 41

SIVASUBRAMANIAM, S

1984 Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication) 53(1/2) 43

SIVENDIRAN, M

1991 A method to determine potential evapotranspiration rates in tea plantations 60(2) 64

SUD, R G

1989 Varietal and seasonal variations in chemical constituents of tea (*Camellia sinensis* (L.) O. Kuntze) in Himachal Pradesh 58(1) 73

1990 Estimation and seasonal variations of macro and micro nutrients in tea of Himachal Pradesh 59(1) 29

SURESHKUMAR, B

1993 Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea 62(2) 47

T

THEVADASAN, A

1985 Water activity in tea 54(2) 78

1987 Prediction of out-turn made tea to green leaf using simple agroclimatic factors 56(2) 87

1989 Water activity in relation to the size of black tea particles 58(2) 87

THEVADASAN, T

1987 Prediction of out-turn made tea to green leaf using simple agroclimatic factors 56(2) 87

THIRUGNANASUNDARAN, K

1987 Feeding rates and survival of live wood termites in woody plants 56(2) 67

1988 Preliminary observations on susceptibility of tea clones to white grub, *Holotrichia disparilis* Arrow (Coleoptera:Scrabaeidae) attack 57(2) 68

1989 Recent observations on resistance and susceptibility of tea clones to the shot-hole borer beetle, *Xyleborus fornicatus* Eichh. (Coleoptera: Scolytidae) 58(1) 50

1989 Distinctive morphological characters of termites in high and mid grown tea in Sri Lanka 58(2) 104

1990 Clonal susceptibility and population dynamics of tea red spider mite, *Oligonychus coffeae* Nietner (Acarina: Tetranychidae) under laboratory conditions 59(1) 09

TURNER, S T D

1994 Application of geographical information systems to the tea industry 63(1) 10

U

UDUMULLA, G P

1993 Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea 62(2) 47

UPALI, P D

1988 Studies on the tissue culture of tea (*Camellia sinensis* (L.) O. Kuntze). 4. Somatic embroygenesis in stem and leaf callus cultures 57(2) 50

1990 Progress towards the commercial propagation of tea by tissue culture techniques 59(2) 62

V

VITHANA, D W

1994 Effect of different mulching materials on soil properties and growth of young tea 63(1) 04

VITANA, S B

1997 Environment friendly pest control\ agents: Use of BIO 1020 to control white grub damage on tea 65(1/2) 34

VITARANA, S I

1997 Environment friendly pest control agents: Use of BIO 1020 to control white grub damage on tea 65(1/2) 34

W

WADASINGHE, G

1983 Growth analysis studies in clonal tea (*Camellia sinensis* (L.) O. Kuntze) 52(2) 64

1986 Root influence on shoot development in tea (*Camellia sinensis* (L.) O. Kuntze) following shoot pruning 55(2) 94

1987 The analysis of some aspects of weather and moisture status of soil in the low country to determine the most suitable time for planting tea 56(2) 58

WAHEED, A

1991 Adventitious root formation in tea cuttings planted in different dates 60(2) 70

WANIGASUNDARA, W A D P

1989 An evaluation of sources of information used by tea plantations in Sri Lanka 58(1) 09

WARNASIRI, H A P

1997 Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition 65(1/2) 11

WATSON, M

1986 The influence of methods of weed management in tea on the surface layer soil properties of an ultisol 55(1) 28

WEERASINGHE, D K

1986 Chemistry of tea *(Camellia sinensis)* leaf surface 55(1) 36

WETTASINGHE, D T

1983 Growth analysis studies in clonal tea (*Camellia sinensis* (L.) O. Kuntze) 52(2) 64

1986 Root influence on shoot development in tea (*Camellia sinensis* (L.) O. Kuntze) following shoot pruning 55(2) 94

WICKRAMASINGHE, K N

1984 A comparative study of the efficiency of utilization of urea and ammonium sulphate by mature tea plants using N-15 labelled fertilizers 53(1/2) 23

1985 Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils 54(1) 11

1986 Effect of herbicides on urea hydrolysis in tea soils 55(1) 22

1986 Effect of urea and ammonium sulphate on sulphur nutrition of tea 55(2) 77

1988 Fate of biuret in tea soils 57(1) 05

WICKRAMASINGHE, V

1986 Chemistry of tea *(Camellia sinensis)* leaf surface 55(1) 36

WIJEDASA, M A

1984 Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication) 53(1/2) 43

1985 Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils 54(1) 11

WIJERATNA, M A

1994 Effect of different mulching materials on soil properties and growth of young tea 63(1) 04

1996 Effects of environmental factors on growth and yield of tea *(Camellia sinensis* L.)in the low-country wet zone of Sri Lanka 64(1/2) 21

WIJETUNGA, W M S

1990 Macro and micro nutrients in Sri Lankan black tea and tea brew 59(2) 52

WIJEWARDENA, R G A

1988 Studies on the tissue culture of tea (*Camellia sinensis* (L.) O. Kuntze). 4. Somatic embroygenesis in stem and leaf callus culture 57(2) 50

WILLARACHCHI, H K

1988 Removal of stalk in leafy grades of tea by colour mismatch technique 57(2) 55

WILSON, M J

1993 Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications 62(2) 53

WIMALADASA, G D

1986 Effect of herbicides on urea hydrolysis in tea soils 55(1) 22

1988 Assessment of soil potassium and its uptake by ryegrass 57(2) 73

YAMANISHI, TEI

1989 An index for assessing the quality of Uva seasonal black tea 58(1) 40

ZIYAD MOHAMED, M T

1997 Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea 65(1/2) 58

CLASSIFIED INDEX TO TITLES OF PAPERS SUMMARY

A

A Review **63**-94
Acid red yellow podzolic soil(see also soil)
Acid red yellow podzolic soil **53**-43
Acid sandy soil (see soil)
Acid soil (see soil)
Aerial photographs **53**-11
Agricultural diversification **59**-65
Agro-climatic factors **56**-87
Aluminium **59**-04
Amino acid **54**-62
Ammonium sulphate **53**-23,43
54-11
55-77
Analysis -leaf **65**-11
Area variation **53**-11

B

Bangladesh tea **61**-24
Bearing, bringing into **54**-32
BIO 1020 **65**-34
Biochemistry **55**-58
Bio-control agents **62**-11
Biuret **57**-05
Black tea **56**-12
59-04,52
Black tea- Manufactured **58**-111
Black tea particles **58**-87
Black tea processing **56**-83
Black tea-Uva seasonal **58**-40
Blister blight (see also Leaf diseases)
Blister blight **64**-05
Borax-toxicity method **63**-78
Bring into bearing (see Bearing, bringing into)
Burrowing nematode **52**-41
58-05,83
59-82
Burrowing nematode (see also *Radopholus similis*)

C

Calcium	**54**-11
Callus	**54**-18
Callus cultures -leaf	**57**-50
Callus cultures-stem	**57**-50
Camellia sinensis	**52**-13,21,56
	55-44
	55-36,94
	58-73
	59-89
	60-22
	62-32
	65-05,46
Camellia spp.	**64**-12
Capacitance method	**58**-56
Carbohydrate resources	**52**-21
Carrot	**59**- 82
Chemical constituents	**58**-73
	60-36
Chemical control	**56**-22
Chemistry of tea	**55**-36
Chloroform test	**57**-24
Chlorophyll	**55**-71
	62-32
Clay	**62**-53
Clonal susceptibility	**59**-09
Clonal selection	**64**-51
Clonal series- 2000,3000,4000	**65**-11
Clonal tea	**52**-64
	55-14,53
	60-46
	65-46
Clones	**52**-35
	57-24,68
	60-76
	62-04
Colletotrichum gloeosporoides (Penz.)	**62**- 25
Colour mismatch technique	**57**- 55
Commercial propagation	**59** -62
Computer programme	**56**- 48
Constituents -tea	**54**- 26
Control of red root disease (see red root disease)	
Copper fungicides (see fungicides)	
Cotylendon callus culture	**57**- 20
Craasocephalum crepidioides	**63**- 28
Criteria for selection	**60**- 76

Cryopreservation **59-** 89
CTC teas **60-** 22
Culture methods **55-** 44
Cuttings **52-**13,56
58 -25
60 -70

D

Dadaps **57-**11
Dadaps (see also *Erythrina lithosperma*)
Decapitation **52-**56
Defoliation **52-**13
Desiccation **59-**89
Determine potential
evapotranspiration rates **60-**64
Dhool **58-**111
Die back **62-**25
Different tea clones
-*Camellia sinensis* L. **60-**22
Diploid **54-**54
Disbudding **52-**56
Diseases-Leaf **64-**05
Diseases- Red root **56-**05
Diseases- Root **52-**52
Diuron (3-(3,4 dichloropheny)
-1-1dimathyl urea) **61-**20
Dolomitic **62-**53
Dolomite **61-**04
Dormex **65-**67
Drought **61-**45,59
Drying **65-**58

E

EBI Fungicides see also fungicides
EBI Fungicides **56-** 22
Ecological threat **59-** 65
Economic damage
Eelworm **54-** 46
Electronic servocontrol **60-** 22
Energy **63** - 46,59
Entomopathogenic **63** - 78
Entomopathogenic Nematodes (see Nematodes)
Environmental factors **64-** 21
Erigeron sumatrensis **63** -28
Erosion (see soil erosion)

Erythrina lithosperma **57**-11
Estimation & seasonal variations **59**-29
Ex vitro **64**-12
Exchange capacity **52**-84

Exobasidium vexans **61**-31
64-05
Export standards -tea **54**-26

F

Fatty acids **57**-46
Feeding rates **56**-67
Fermenting rates **57**-24
Fertilizer - N-15 **53**-23
Fertilizer -potassium **55**-71
Field operations **56**-48
Flavanols **59**-24
62-04
Fresh tea flush **60**-36
Fuelwood trees **64**-43
Fungicides **56**-22
Fungicides - copper **61**-31
Fungicides-EBI **62**-25

G

Genetic diversity **55**-53
Geocoris ochropterus **61**-39
Geographical Information Systems **63**-10
Germination **59**-89
61-31
Ginger **59**-82
Glyphosate **58**-118
Grafting **61**-45
Green leaf **56**-87
Green manure **62**-41
Green tea **59**-16
Growth **52**-56
55-14,84
63-04
64-21
Growth analysis **52**-64
Growth substances **52** -35

H

Harvesting intervals **64**-51
Harvesting **55**-14
Heat pipe **64**-35
Heat exchangers **64**-35
Heat - waste **64**-35
Helopeltis **61**-24
Herbicides - pre emergent **54**-42
56-41
Herbicides **55**-22
High grown **58**-104
Hilly terrain **53**-11
Himachal Pradesh **58**-73
59-29
60-16
Holistic appraisal **62**-41
Holotricha disparillis Arrow **57**-68
Homona coffearia Nietner **54**-62
Humic materials **52**-84
Humification **53**-47
Hydrogen cyanamide (see also dormex)
Hydrogen cyanamide **65**-67

I

IBA **58**-25
In vitro **54**-62
59-82
62-25
64-12
65-05
Indonesian **57**-65
Infra-red tea moisture meter **57**-40
Inoculum level **53**-19
Insecticidal bioassay **63**-78
Intergrated management strategy **54**-04
Inter-planting **57**-11

J

Jasmine tea **57**-65
Jawan **62**-47

L

Laboratory conditions **59**-09
Landuse **58**-92
Leaf **61**-15
Leaf analysis (see also analysis leaf)
Leaf analysis **65**-11
Leaf diseases (see also Diseases)
Leaf diseases **64**-05
Leaf maturity **65**-11
Leaf surface **55**-36
Leafy grades **57**-55
Lime($caco_3$) **60**-04
Liquid chromatography **62**-32
Live wood termite (see also *Postelectrotermers militaris*)
Live wood termites **62**-16,66
56-67
Low country **54**-32
56-58
64-21
Low grown **55**-14

M

Made tea **56**-87
60-36
Magnesium **54**-11
57-34
Magnesium fertiliser **62**-53
Manual weed control (see weed control)
Mature tea **53**-23
54-04
57-34
Micro organisms **56**-12
Microbial inhabitants **63**-19
Microbial population **56**-41
Micro-nutrients **58**-25
Micropropagated shoots **64**-12
65-05
Mid grown **58**-104
Mid-country **52**-41
Mineral nutrients **52**-21
Mineralogy **62**-53
Moisture **56**-58
58-56
Morphological characters **58**-104
Mother leaf **52**-56

Mulching materials 63-04
Multiplication of shoots 55-44

N

N-15 see also Fertilizer 53-23
Natural pesticide (see also Neem)
Neem 62-47
Nematode 52-41
Nematode pests 62-47
Nematodes - Entomopathogenic 62-16,66
New clearing 53-04
New shoot 52-56
Nitrification 53-43
54-11
Nitrogen uptake 52-13
Nitrogen 52-21
55-71
N-mineralization 56-41
Non-dolamitic 62-53
Non-enzymic oxidation 56-83
Nursery plants 56-95
60-76
Nutrients 59-29,52
61-04

O

Oligonychus coffeae Nietner 59-09
Organic carbon 61-20
Outturn charts 60-56
Oxyfluorfen 54-42,73

P

Panicum repens (L.) Beauv. 58-118
Pathogenicity 53-19
58-83
63-78
Pepper 58-05
Peroxidase 65-58
Pest - Root 59-82
Pest control agents 65-34
Pest management in Bangladesh 63-70
Pesticide - natural 62-47

pH **61**-31
Phenol **52**-31
Phenolic acids **58**-25
Phenolics **52**-84
Phosphate **56**-35
Physical characteristics **61**-51
Physiology of tea **61**-59
Phytoalexins **64**-05
Phytotoxicity **58**-118
Plant growth regulator **65**-67
Plant population **60**-46
Plant residues **53**-47
Planting tea **56**-58
Polyphenol **53**-47
Polyphenol oxidase **61**-15
65-58
Population dynamics **59**-09
Population model **61**-24
Population **53**-19
Post prune operations **65**-76
Postelectrotermes militairs **62** -16,66
Potassium - soil **57**-73
Potassium Chloride- commercial **53**-43
Potassium (fertilizer see fertilizer)
Potassium **54**-11
Pratylenchus loosi **53**-19
56-95
Pre-emergent herbicides (see herbicides)
Pre-emergent **54**-73
Proceedings of a symposium **53**-29
Processing **58**-64
59-16
Production **52**-41
53-29
Production trends **52**-05
Progenies **54**-54

Q

Quality of tea **58**-40,64,111
60- 22,36
62-04

R

Radopholus similis **52**-41
58 -05,83
59 -82
Red root disease (see Diseases)
Red spider mite (see also *Oligonychus coffeae* Nietner)
Red spider mite **59**-09
Regeneration **57**-20
Rehabilitating **55**-89
Replanting **54**-46
55-89
Residues **52**-31
Resistance **58**-50
Resting **54**-23
Ring-barking **53**-04
Rolling methods **61**-51
Root Disease (see Diseases)
Root formation **60**-70
65-05
Root -lesion nematode (see also *Pratylenchus loosi*)
Root -lesion nematode **53**-19
56-95
Root pest see also Pest
Root pest **59**-82
Rooting
Ryegrass **57**-73

S

Sand culture **52**-13
Saturation vapour pressure deficit **65**-46
Seasonal variations **58**-73
Seeds **59**-89
Selection - criteria **60**-76
63-94
Shade **52**-21
62-41
Shoot development **55**-94
64-51
Shoot growth **65**-46
Shoot pruning **55**-94
Shoots **57**-16
65- 05
Short communication **52**-41,84
53-43,47

54-46
59-89
Shot-hole borer beetle (see also *Xyleborus fornicatus* Eichh)
Shot-hole borer beetle **58**-50,83
54-04
Silt fractions **62**-53
Slopes **53**-11
Soft root rot **52**-52
Soil - acid tea **54**-11
Soil - acid sandy **61**-20
Soil - acid **60**-04
62-53
Soil chemical properties **57**-11
60-04
Soil erosion **52**-81
54-91
Soil humus **55**-58
Soil physical properties **65**-76
Soil potassium (see Potassium)
Soil properties **55**-28
63-04
Soil reaction **61**-04
Soil reconditioning **55**-84
Soil urease **52**-31
Soil **53**-43
56-58
57-05
Somatic embryogenesis **57**-50
Sources of information **58**-09
South India **53**-29
Sprays **65**-67
Sri Lanka **52**-05,46
63-46,59
Sri Lanka see also South India **53**-29
Sri Lanka teas **54**-26
Sri Lankan acid tea soils **62**-53
Stalk **57**-55
Storage **56**-12,58
Sulphate nutrition **55**-77
Sulphur-mineralization **56**-35
Surface layer **55**-28
Survey maps **53**-11
Susceptibility **58**-50
Symposium **52**-46

54-46
59-89
Shot-hole borer beetle (see also *Xyleborus fornicatus* Eichh)
Shot-hole borer beetle **58**-50,83
54-04
Silt fractions **62**-53
Slopes **53**-11
Soft root rot **52**-52
Soil - acid tea **54**-11
Soil - acid sandy **61**-20
Soil - acid **60**-04
62-53
Soil chemical properties **57**-11
60-04
Soil erosion **52**-81
54-91
Soil humus **55**-58
Soil physical properties **65**-76
Soil potassium (see Potassium)
Soil properties **55**-28
63-04
Soil reaction **61**-04
Soil reconditioning **55**-84
Soil urease **52**-31
Soil **53**-43
56-58
57-05
Somatic embryogenesis **57**-50
Sources of information **58**-09
South India **53**-29
Sprays **65**-67
Sri Lanka **52**-05,46
63-46,59
Sri Lanka see also South India **53**-29
Sri Lanka teas **54**-26
Sri Lankan acid tea soils **62**-53
Stalk **57**-55
Storage **56**-12,58
Sulphate nutrition **55**-77
Sulphur-mineralization **56**-35
Surface layer **55**-28
Survey maps **53**-11
Susceptibility **58**-50
Symposium **52**-46
53-29

T

Tea soils **61**-04
Tea area **59**-37
Tea brew **59**-52
Tea country **58**-92
Tea cream **55**-02
Tea crop nutrition **52**-81
56-48
65-11
Tea factories **57**-40
Tea industry **63**-10,59
64-43
Tea land **54**-91
55-89
Tea leaves **55**-71
59-24
64-05
Tea pests **61**-39
63-79
Tea phylloplane **63**-19
Tea plantation **58**-09
59-65
60-64
Tea see also *Camellia spp.* **64**-12
Tea soils see also soil
Tea soils **55**-22
Tea strains **60**-16
Tea tortrix (see also *Homona coffearia* Nietner)
Tea tortrix **54**-62
Technological inputs **52**-05
Temperature **53**-19
61-15
Termites **58**-104
63-78
Tetraploid **54**-54
Tissu culture **55**-44
57-16,20,50
59-62,82
Tissue culture techniques **59**-62
TRI Auditorium **52**-46
Trickle irrigation **54**-84

U

Ultisol **55**-28
56-35
57-11
Uptake **57**-73
Urea **53**-23
54-11
55-77
Urea hydrolysis **55**-22
Uva seasonal black tea (see black tea)

V

Varietal **58**-73
Voltage stabilizer **57**-40

W

Water use **60**-46
Water activity **54**-78
58-87
Water **52**-21
Weather **56**-58
Weed control - manual **52**-81
Weed management **55**-28
Weedkiller **54**-73
White grub damage **65** -34
White grub (see also *Holotrichia disparillis* Arrow)
White grub **57**-68
Withering troughs **60**-30
Woody plants **56**-67

X

Xyleborus fornicatus Eichh **61**-45

Y

Yield **53**-11
55-14,84
64 - 21
65-67,76
Young tea (see also *Camellia sinensis)*

Young tea

52-13,21,56
53-04
54-73
63-04

CLASSIFIED INDEX TO TITLES OF PAPERS

	Volume	Page
A		
Acidity, soil (see soil)		
B		
Biochemical Aspects of Tea		
Phenolics and the exchange capacity of humic materials (Sivapalan, K)	**52(2)**	84
Tea cream - a complex story(Sivapalan, K)	**55(1)**	04
Tea constituents and export standards of Sri Lanka teas(Sivapalan, K)	**54(1)**	26
Chemistry of tea *(Camellia sinensis)* leaf surface (Mohamed, M T Ziyad)	**55(1)**	36
A study of micro-organisms in black tea and their activities associated with storage(Ekanayake, A)	**56(1)**	12
Extent of non-enzymic oxidation in black tea processing(Ekanayake, A)	**56(2)**	83
Study of fermenting rates of clones using chloroform test(Samaraweera, D S A)	**57(1)**	24
Analysis of major fatty acids in tea (Liyanage, A C)	**57(2)**	46
An index for assessing the quality of Uva seasonal black tea(Yamanishi, Tei)	**58(1)**	40
Factors affecting quality of tea during processing (Agarwal, Beena)	**58(1)**	64
Varietal and seasonal variations in chemical constituents of tea (*Camellia sinensis* (L.) O. Kuntze) in Himachal Pradesh (Sud, R G)	**58(1)**	73

Effect of sifting of dhool during fermentation on quality of manufactured black tea (Anandavijayan, S)	**58(2)**	111
Aluminium in Black tea(Anandacoomaraswamy,S)	**59(1)**	04
An improved procedure for the isolation of flavanols from tea leaves(Punyasiri, P A N)	**59(1)**	24
Macro and micro nutrients in Sri Lankan black tea and brew(Anandacoomaraswamy, S)	**59(2)**	52
Quality of CTC teas made from different tea *(Camellia sinensis* L) clones (Ranaweera, A S)	**60(1)**	22
Effect on polyphenol oxidase activity in extracts of tea leaf prepared by maceration at different temperatures (Molla, M M)	**61(1)**	15
Chemical Constituents in different parts of fresh tea flush and their contribution to overall quality in made tea (Herath, N L)	**60(1)**	36
Correlation of major flavanols of some tea clones with quality of tea (Herath, N)	**62(1)**	04
High-performance liquid chromotography of chlorophylls in tea (*Camellia sinensis*) (Liyanage, A C)	**62(1)**	32
Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea (Liyanage, A C)	**65(1/2)**	58

Biological control

Entomopathogenic nematodes (Rhabditida: Heterorhabditidae and Steinernematidae) in Sri Lanka as bio-control agents (Amarasinghe, L D)	**62(1)**	11

Efficacy of entomopathogenic nematodes to control up-country live-wood termite, *Postelectrotermes militaris* (Amarasinghe, L D) **62(1)** 16

Potential of using entomopathogenic nematodes to control up-country live-wood termite (*Postelectrotermes militaris*) (Amarasinghe, L D) **62(2)** 66

Pathogenicity of entomopathogenic agents against termites employing insecticidal bioassay with borax-toxicity method (Samarasinghe, Seetha M) **63(2)** 78

Biuret

Fate of biuret in tea soils(Fernando, V) **57(1)** 05

Black tea

A study of micro-organisms in black tea and their activities associated with storage(Ekanayake, A) **56(1)** 12

Extent of non-enzymic oxidation in black tea processing(Ekanayake, A) **56(2)** 83

An index for assessing the quality of Uva seasonal black tea(Yamanishi, Tei) **58(1)** 40

Effect of sifting of dhool during fermentation on quality of manufactured black tea (Anandavijayan, S) **58(2)** 111

Aluminium in Black tea(Anandacoomaraswamy, S) **59(1)** 04

Macro and micro nutrients in Sri Lankan black tea and brew(Anandacoomaraswamy, S) **59(2)** 52

Black tea processing (see Manufacture)

Blister blight (see Diseases-leaf)

Bringing into Bearing

Studies on methods of bringing clonal tea into bearing in the Low-country of Sri Lanka(Nathaniel, R K) **54(1)** 32

C

callus culture (see Tissue Culture)

Clones

Effect of growth substances on rooting of slow rooting tea clones (Kathiravetpillai, A) **52(1)** 35

Growth analysis studies in clonal tea (*Camellia sinensis*)(L.) O. Kuntze) (Wadasinghe, G) **52(2)** 64

Studies on methods of bringing clonal tea into bearing in the Low-country of Sri Lanka(Nathaniel, R K) **54(1)** 32

Effect of harvesting on the growth and yield of low grown clonal tea (Nathaniel, R K) **55(1)** 14

A strategy to adopt the appropriate genetic diversity for planting clonal tea (Sivapalan, P) **55(2)** 53

Preliminary observations on susceptibility of tea clones to white grub,*Holotrichia disparilis* Arrow (Coleoptera:Scrabaeidae) attack(Thirugnanasuntharan, K) **57(2)** 68

Quality of CTC teas made from different tea *(Camellia sinensis*,L) clones (Ranaweera, A S) **60(1)** 22

Effect of plant population on water use of mature clonal tea (Anandacoomaraswamy, A) **60(2)** 46

Nursery plant attributes as criteria for selection of new tea clones (Shanmugarajah, V) **60(2)** 76

Correlation of major flavanols of some tea clones with quality of tea (Herath, N) **62(1)** 04

Effect of altitude on shoot development of clonal tea with special reference to clonal selection and harvesting intervals (Balasuriya, J) **64(1/2)** 51

Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition(Hettiarachchi, L S K) **65(1/2)** 11

Effect of saturation vapour pressure deficit of air on shoot growth of clonal tea (*Camellia sinensis* L.) under controlled environmental conditions(Balasuriya, J) **65(1/2)** 46

Clonal tea leaves (see leaves)

Chlorophylls

Influence of levels of nitrogen and potassium fertilizers on chlorophyll content in mature clonal tea leaves (Krishnapillai, S) **55(2)** 71

Climate

The analysis of some aspects of weather and moisture status of soil in the low country to determine the most suitable time for planting tea (Wadasinghe, G) **56(2)** 58

Colour Mismatch Technique (see Grading)

Cryopreservation

Germination and desiccation tolerance of tea (*Camellia sinensis*(L.) O. Kuntze) seeds and feasibility of cryopreservation (Short Communication)(Chaudhury, Rekha) **59(2)** 89

Cultivation

Effect of cutting and defoliation on nitrogen uptake by young tea plants *(Camellia sinensis* L.) grown in sand culture (Krishnapillai, S) **52(1)** 13

Influence of mother leaf of cutting and of time and frequency of disbudding and decapitation of the new shoot on growth of young tea (*Camellia sinensis.* L.) (Kathiravetpillai, A) **52(2)** 56

Ring-barking of young tea plants in new clearings (Arulpragasam, P V) **53(1/2)** 04

Resting of tea fields (Sivapalan, P) **54(1)** 23

Studies on methods of bringing clonal tea into bearing in the Low-country of Sri Lanka(Nathaniel, R K) **54(1)** 32

Effect of grafting fresh cuttings on yield and drought resistance in tea (Pallemulla, D) **61(2)** 45

Effect of different mulching materials on soil properties and growth of young tea (Wijeratna, M A) **63(1)** 04

D

Defoliation

Effect of cutting and defoliation on nitrogen uptake by young tea plants *(Camellia sinensis* L.) grown in sand culture (Krishnapillai, S) **52(1)** 13

Diseases-leaf

Recent developments in the chemical control of blister blight leaf disease of tea-effectiveness of EBI fungicides (Arulpragasam, P V) **56(1)** 22

A preliminary study of the phytoalexins produced in the tea leaf in relation to the blister blight leaf disease caused by *Exobasidium Vexans* massee of tea (Nagahaulla, S M) **64(1/2)** 05

Diseases-root

Soft Root rot - a new root disease of tea? (Arulpragasam, P V) **52(2)** 52

An inexpensive and effective method for the control of red root disease of tea (Arulpragasam, P V) **56(1)** 05

Disease - Stem

Ring-barking of young tea plants in new clearings (Arulpragasam, P V) **53(1/2)** 04

Diversification

Decreasing extent of tea plantations. Chance for Agricultural diversification or ecological threat?(Humbel, R) **59(2)** 65

Drought

Effect of grafting fresh cuttings on yield and drought resistance in tea (Pallemulla, D) **61(2)** 45

Studies on tea and drought 1. Some observations on drought effects on physiology of tea(Krishnapillai, S) **61(2)** 59

Drying (see Manufacture)

E

Energy

Status review of energy utilization by the tea industry in Sri Lanka (De Silva, W C A) **63(2)** 46

Some energy saving achievements of the tea industry in Sri Lanka (De Silva, W C A) **63(2)** 59

Thermal energy demands of the tea industry and the role of fuelwood trees in a self sustaining environment (De Silva, W C A) **64(1/2)** 43

Heat pipe heat exchangers for waste heat recovery (Ramakrishna, P) **64(1/2)** 35

Evapotranspiration

A method to determine potential evapotranspiration rates in tea plantations(Anandacoomaraswamy, A) **60(2)** 64

Export standards

Tea constituents and export standards of Sri Lanka teas (Sivapalan, K) **54(1)** 26

F

Fertilizer

A comparative study of the efficiency of utilization of urea and ammonium sulphate by mature tea plants using N-15 labelled fertilizers (Wickramasinghe, K N) **53(1/2)** 23

Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication) (Golden, D C) **53(1/2)** 43

Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils (Wickramasinghe, K N) **54(1)** 11

Influence of levels of nitrogen and potassium fertilizers on chlorophyll content in mature clonal tea leaves (Krishnapillai, S) **55(2)** 71

Effect of urea and ammonium sulphate on sulphur nutrition of tea (Wickramasinghe, K N) **55(2)** 77

Effect of increasing levels of phosphate on sulphur mineralization of an ultisol under jungle and tea (Anandacoomaraswamy, S) **56(1)** 35

Supply of magnesium for mature tea in Sri Lanka (Sivapalan, P) **57(2)** 34

Effect of dolomite on soil reaction and nutrient availability in tea soils (Krishnapillai, S) **61(1)** 04

Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications (Hettiarachchi, L S K) **62(2)** 53

Field Operations

Computer programme for the efficient direction of field operations in tea estates(Kandiah, S) **56(1)** 48

Fuelwoods

Thermal energy demands of the tea industry and the role of fuelwood trees in a self sustaining environment. (De Silva, W C A) **64(1/2)** 43

Fungicides

Recent development in the control of blister blight leaf disease of tea-effectiveness of EBI fungicides (Arulpragasam, P V) **56(1)** 22

In vitro studies on fungicides aginst *Colletotrichum gloeosporoides* (Penz.) Sac-the die back of tea (Mir Ahmad Ali) **62(1)** 25

Effect of pH of copper fungicides on germination of *Exobasidium vexans* (Gunasekara, T S) **61(1)** 31

Shade and green manure trees in tea-A holistic appraisal (Sivapalan, P) **62(2)** 41

G

General

Proceedings of a symposium on tea production and trends in Sri Lanka-South India (Wickramasinghe, K N) **53(1/2)** 29

Decline in tea production in Sri Lanka-A symposium held on 17.3.83 at the TRI Auditorium **52(2)** 46

Grading (see Manufacture, Grading)

Green tea

A method for processing of green tea (Samarasingham,S) **59(1)** 16

Growth

Effect of growth substances on rooting of slow rooting tea clones (Kathiravetpillai, A) **52(1)** 35

Influence of mother leaf of cutting and of time and frequency of disbudding and decapitation of the new shoot on growth of young tea(*Camellia sinensis*. L.) (Kathiravetpillai, A) **52(2)** 56

Growth analysis studies in clonal tea (*Camellia sinensis*)(L.) O. Kuntze) (Wadasinghe, G) **52(2)** 64

Effect of harvesting on the growth and yield of low grown clonal tea (Nathaniel, R K) **55(1)** 14

Effect of soil reconditioning on growth and yield of tea (Anandacoomaraswamy, A) **55(2)** 84

Effect of saturation vapour pressure deficit of air on shoot growth of clonal tea (*Camellia sinensis* L.) under controlled environmental conditions (Balasuriya, J) **65(1/2)** 46

H

Harvesting

Effect of harvesting on the growth and yield of low grown clonal tea (Nathaniel, R K) **55(1)** 14

Herbicides

Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils (Wickramasinghe, K N) **54(1)** 11

The use of Oxyfluorfen as a pre-emergent herbicide in tea (Kathiravetpillai, A) **54(1)** 42

Effect of herbicides on urea hydrolysis in tea soils (Wimaladasa, G D) **55(1)** 22

Effect of pre-emergent herbicides on N-mineralization and microbial population (Anandacoomaraswamy,A) **56(1)** 41

Effect of additives on the phytotoxicity of lyphosate to *Panicum repens* (L.) Beauv. (Kathiravetpillai, A) **58(2)** 118

Effect of levels of organic carbon on the persistency of diuron (3-(3,4-dichlorophenyl)-1-1 dimethyl urea) in an acid sandy soil (Peiris, H S N) **61(1)** 20

I

Information Sources

An evaluation of sources of information used by tea plantations in Sri Lanka (Wanigasundara, W A D P) **58(1)** 09

Insect Pests

An integrated management strategy to minimize the economic damage to mature tea, caused by the shot-hole borer beetle (*Xyleborus fornicatus Eichh.*)(Sivapalan, P) **54(1)** 04

Dietary amino acid requirements of the tea tortrix, *Homona coffearia* Nietner (Lepidoptera:Tortricidae) reared *in vitro* (Sivapalan, P) **54(2)** 62

Feeding rates and survival of live wood termites in woody plants (Thirugnanasundaran, K) **56(2)** 67

Preliminary observations on susceptibility of tea clones to white grub,*Holotrichia disparilis* Arrow (Coleoptera:Scrabaeidae) attack(Thirugnanasundaran,K) **57(2)** 68

Recent observations on resistance and susceptibility of tea clones to the shot-hole borer beetle, *Xyleborus fornicatus* Eichh.(Coleoptera: Scolytidae) (Thirugnanasundaran,K) **58(1)** 50

Distinctive morphological characters of termites in high and mid grown tea in Sri Lanka (Thirugnanasundaran,K) **58(2)** 104

Clonal susceptibility and population dynamics of tea red spider mite, *Oligonychus coffeae* Nietner (Acarina: Tetranychidae) under laboratory conditions(Thirugnanasundaran,K) **59(1)** 09

A population model of *Helopeltis* in Bangladesh tea(Ahamed, M) **61(1)** 24

Environment friendly pest control agents: Use of BIO 1020 to control white grub damage on tea(Vitarana, S I) **65(1/2)** 34

Irrigation

Economics feasibility of trickle irrigation in tea:some preliminary results (Anandacoomaraswamy, A) **54(2)** 84

J

Jawan (see pesticides)

L

Land use

Planned landuse for the tea country (Perera, M B A) **58(2)** 92

Comparative study of the relationship of tea yields and area variations due to slopes in hilly terrain using aerial photographs and survey maps (Perera, M B A) **53(1/2)** 11

Assessment of tea areas in Sri Lanka (Perera, M B A) **59(1)** 37

Application of geographical information systems to the tea industry(Turner, S T D) **63(1)** 10

Leaf analysis

Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition. (Hettiarachchi, L S K) **65(1/2)** 11

Live wood termite(see termite)

M

Made tea

Tea constituents and export standards of Sri Lanka teas(Sivapalan, K) **54(1)** 26

Tea cream - a complex story(Sivapalan, K) **55(1)** 04

A study of micro-organisms in black tea and their activities associated with storage(Ekanayake, A) **56(1)** 12

Extent of non-enzymic oxidation in black tea processing(Ekanayake, A) **56(2)** 83

Prediction of out-turn made tea to green leaf using simple agroclimatic factors (Thevadasan, A) **56(2)** 87

Indonesian jasmin tea (Samarasinghem, S) **57(2)** 65

An index for assessing the quality of Uva seasonal black tea(Yamanishi, Tei) **58(1)** 40

Factors affecting quality of tea during processing (Agarwal, Beena) **58(1)** 64

Effect of sifting of dhool during fermentation on quality of manufactured black tea (Anandavijayan, A) **58(2)** 111

Aluminium in Black tea(Anandacoomaraswamy,S) **59(1)** 04

An improved procedure for the isolation of flavanols from tea leaves(Punyasiri, P A N) **59(1)** 24

Macro and micro nutrients in Sri Lankan black tea and brew(Anandacoomaraswamy,S) **59(2)** 52

Quality of CTC teas made from different tea *(Camellia sinensis*,L) clones (Ranaweera, A S) **60(1)** 22

Chemical constituents in different parts of fresh tea flush and their contribution to overall quality in made tea (Herath, N) **60(1)** 36

Effect of rolling method on physical characteristics of rolled tea leaves (Ozdemir,F) **61(2)** 51

Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea (Liyanage, A C) **65(1/2)** 58

Magnesium Fertilizer (see Fertilizer)

Manufacture

Extent of non-enzymic oxidation in black tea processing(Ekanayake, A) **56(2)** 83

Prediction of out-turn made tea to green leaf using simple agroclimatic factors (Thevadasan, A) **56(2)** 87

Study of fermenting rates of clones using chloroform test(Samaraweera, D S A) **57(1)** 24

A Low cost voltage stabilizer for infra-red tea moisture meters used in tea factories (Samaraweera, D S A) **57(2)** 40

Removal of stalk in leafy grades of tea by colour mismatch technique (Samaraweera, D S A) **57(2)** 55

Theoretical basis of estimation of moisture content by capacitance method (Samaraweera, D S A) **58(1)** 56

Factors affecting quality of tea during processing (Agarwal, Beena) **58(1)** 64

Effect of sifting of dhool during fermentation on quality of manufactured black tea (Anandavijayan, A) **58(2)** 111

A method for processing of green tea (Samarasingham, S) **59(1)** 16

Quality of CTC teas made from different tea *(Camellia sinensis*,L) clones (Ranaweera, A S) **60(1)** 22

Outturn charts (Ramakrishna, P) **60(2)** 56

Effect of rolling method on physical characteristics of rolled tea leaves(Ozdemir, F) **61(2)** 51

Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea (Liyanage, A C) **65(1/2)** 58

Micro-organisms

A study of micro-organisms in black tea and their activities associated with storage(Ekanayake, A) **56(1)** 12

Moisture

Theoretical basis of estimation of moisture content by capacitance method (Samaraweera, D S A) **58(1)** 56

Nematode

Incidence of nematode damage in the mid -country caused by the burrowing nematode, *Radopholus similis* (Short Communication) (Gnanapragasam, N C) **52(1)** 41

Influence of inoculum level and temperature on the population build-up and pathogenicity of the Root-lesion nematode (*Pratylenchus loosi* Loof) of tea (Gnanapragasam, N C) **53(1/2)** 19

The strategy for replanting eelworm infested areas (Short Communication) (Gnanapragasam, N C) **54(1)** 46

Control of root-lesion nematode, *Pratylenchus loosi* contaminated tea nursery plants (Gnanapragasam, N C) **56(2)** 95

Varietal responses of pepper to infestation by the burrowing nematode, *Radopholus similis* (Gnanapragasam, N C) **58(1)** 05

Pathogenicity of the burrowing nematode, *Radopholus similis* to young tea at different initial density (Gnanapragasam, N C) **58(2)** 83

In *vitro* culturing of the burrowing nematode *Radopholus similis,* a serious root pest of tea, on tissue culture raised from carrot and ginger(Gnanapragasam, N C) **59(2)** 82

Entomopathogenic nematodes (Rhabditida: Heterorhabditidae and Steinernematidae) in Sri Lanka as bio-control agents (Amarasinghe, L D) **62(1)** 11

Efficacy of entomopathogenic nematodes to control up-country live-wood termite, *Postelectrotermes militaris* (Amarasinghe, L D) **62(1)** 16

Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea(Gnanapragasam, N C) **62(2)** 47

Nursery Plants

Control of root-lesion nematode, *Pratylenchus loos.* in contaminated tea nursery plants (Gnanapragasam, N C) **56(2)** 95

Nutrients

Macro and micro nutrients in Sri Lankan black tea and brew Oxidation (Anandacoomaraswamy, S) **59(2)** 52

P

Pest Control

Entomopathogenic nematodes (Rhabditida: Heterorhabditidae and Steinernematidae) in Sri Lanka as bio-control agents (Amarasinghe, L D) **62(1)** 11

Efficacy of entomopathogenic nematodes to control up-country live-wood termite, *Postelectrotermes militaris* (Amarasinghe, L D) **62(1)** 16

Potential of using entomopathogenic nematodes to control up-country live-wood termite (*Postelectrotermes militaris*) (Amarasinghe, L D) **62(2)** 66

Environment friendly pest control agents: Use of BIO 1020 to control white grub damage on tea (Vitarana, S I) **65(1/2)** 34

Pest & Diseases

Feeding rates and survival of live wood termites in woody plants (Thirugnanasunderan, K) **56(2)** 67

Preliminary observations on susceptibility of tea clones to white grub, *Holotrichia disparilis* Arrow (Coleoptera:Scrabaeidae) attack(Thirugnanasunderan, K) **57(2)** 68

Recent observations on resistance and susceptibility of tea clones to the shot-hole borer beetle, *Xyleborus fornicatus* Eichh.(Coleoptera: Scolytidae) (Thirugnanasunderan, K) **58(1)** 50

Distinctive morphological characters of termites in high and mid grown tea in Sri Lanka (Thirugnanasunderan, K) **58(2)** 104

Clonal susceptibility and population dynamics of tea red spider mite, *Oligonychus coffeae* Nietner (Acarina: Tetranychidae) under laboratory conditions(Thirugnanasunderan, K) **59(1)** 09

Isolation and enumeration of microbial inhabitants of tea phylloplane (Gunasekara, T S) **63(1)** 19

System analysis approach in tea pest Management in Bangladesh(Ahamed, M) **63(2)** 70

In vitro studies on fungicides aginst *Colletotrichum gloeosporoides* (Penz.) Sac-the die back of tea (Mir Ahmad Ali) **62(1)** 25

Laboratory evaluation of predatory efficiency of *Geocoris ochropterus* Fiber (Hemiptera: Lygaeidae) on some common tea pests (Sannigrahi, S) **61(2)** 39

Pesticides-Natural

Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea(Gnanapragasam, N C) **62(2)** 47

Physiology

Effect of cutting and defoliation on nitrogen uptake by young tea plants *(Camellia sinensis* L.) grown in sand culture (Krishnapillai, S) **52(1)** 13

Influence of levels of nitrogen and potassium fertilizers on chlorophyll content in mature clonal tea leaves (Krishnapillai, S) **55(2)** 71

Root influence on shoot development in tea *(Camellia sinensis)* (L.) O. Kuntze) following shoot pruning(Kandiah, S) **55(2)** 94

Studies on tea and drought 1. Some observations on drought effects on physiology of tea(Krishnapillai, S) **61(2)** 59

Effect of altitude on shoot development of clonal tea with special reference to clonal selection and harvesting intervals (Balasuriya, J) **64(1/2)** 51

The effect of post prune operations on soil physical properties and yield of tea (Amarasekara, A R) **65(1/2)** 76

Plant Breeding

Studies on the progenies of a cross between diploid and tetraploid tea (Rashid, A) **54(2)** 54

Performance of promising tea strains *(Camellia sinensis* (L.) O. Kuntze) of Kangra Valley in the Hemachal Pradesh (Sharma, K L) **60(1)** 16

Selection criteria for tea (A Review) Shanmugarajah, V) **63(2)** 94

Plant Growth Substances

Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea (Kathiravetpillai, A.) **65(1/2)** 67

Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition. (Hettiarachchi, L S K) **65(1/2)** 11

Plant Protection

An integrated management strategy to minimize the economic damage to mature tea, caused by the shot-hole borer beetle (*Xyleborus fornicatus Eichh.*)(Sivapalan, P) **54(1)** 04

Preliminary observations on susceptibility of tea clones to white grub,*Holotrichia disparilis* Arrow (Coleoptera:Scrabaeidae) attack (Abeysekara, A R) **57(2)** 68

A preliminary study of the phytoalexins produced in the tea leaf in relation to the blister blight leaf disease caused by *Exobasidium Vexans* massee of tea (Nagahaulla, S M) **64(1/2)** 05

Plant Residues

Humification of polyphenol-rich plant residues (Short Communication) (Sivapalan, K) **53(1/2)** 47

Plucking

Effect of altitude on shoot development of clonal tea with special reference to clonal selection and harvesting intervals (Balasuriya, J) **64(1/2)** 51

Proceedings

Proceedings of a symposium on tea production and trends in Sri Lanka-South India (Wickramasinghe, K N) **53(1/2)** 29

Production

Technological inputs and production trends of tea in Sri Lanka(Sivapalan, P) **52(1)** 05

Proceedings of a symposium on tea production and trends in Sri Lanka-South India (Wickramasinghe, K N) **53(1/2)** 29

Propagation

Tissue Progress towards the commercial propagation of tea by tissue culture techniques (Sarathchandra, T M) **59(2)** 62

Pruning

Root influence on shoot development in tea (*Camellia sinensis)* (L.) O. Kuntze) following shoot pruning(Kandiah, S) **55(2)** 94

The effect of post prune operations on soil physical properties and yield of tea.(Abeysekara, U P) **65(1/2)** 76

Q

Quality

An index for assessing the quality of Uva seasonal black tea(Yamanishi, Tei) **58(1)** 40

Factors affecting quality of tea during processing (Agarwal, Beena) **58(1)** 64

Effect of sifting of dhool during fermentation on quality of manufactured black tea (Anandavijayan, A) **58(2)** 111

Quality of CTC teas made from different tea *(Camellia sinensis*,L) clones (Ranaweera, A S) **60(1)** 22

Chemical constituents in different parts of fresh tea flush and their contribution to overall quality in made tea (Herath, N) **60(1)** 36

Correlation of major flavanols of some tea clones with quality of tea (Herath, N) **62(1)** 04

R

Red Spider Mite (see Insects)

Rehabilitation & Replanting, land

Effect of soil reconditioning on growth and yield of tea (Anandacoomaraswamy, A) **55(2)** 84

Economics of rehabilitating tea land before replanting:some exploration (Anandacoomaraswamy, A) **55(2)** 89

The strategy for replanting eelworm infested areas (Short Communication) (Gnananpragasam, N C) **54(1)** 46

Rolling methods (see Manufacture)

S

Seasonal variations

Varietal and seasonal variations in chemical constituents of tea (*Camellia sinensis* (L.) O. Kuntze) in Himachal Pradesh (Sud, R G) **58(1)** 73

Estimation and seasonal variations of macro and micro nutrients in tea of Himachal Pradesh (Sud, R G) **59(1)** 29

Shade & Shade Trees

Effect of inter-planting dadaps *(Erythrina lithosperma)* in tea(*Camellia sinensis)* on soil physical properties of an ultisol (Anandacoomaraswamy, A) **57(1)** 11

Effect of shade, water supply and nitrogen on the distribution of mineral nutrients and total carbohydrate resources in young tea *(Camellia sinensis* (L.) O. Kuntze) (Kulasegaram, S) **52(1)** 21

Shade and green manure trees in tea-A holistic appraisal (Sivapalan, P) **62(2)** 41

Soil

Humified phenol-rich plant residues and soil urease activity(Sivapalan,K.) **52(1)** 31

Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication) (Golden, D C) **53(1/2)** 43

Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils (Wickramasinghe, K N) **54(1)** 11

Effect of herbicides on urea hydrolysis in tea soils (Wimaladasa, G D) **55(1)** 22

The influence of methods of weed management in tea on the surface layer soil properties of an ultisol (Anandacoomaraswamy, A) **55(1)** 28

Effect of soil reconditioning on growth and yield of tea (Anandacoomaraswamy, A) **55(2)** 84

Effect of increasing levels of phosphate on sulphur mineralization of an ultisol under jungle and tea (Anandacoomaraswamy, S) **56(1)** 35

Fate of biuret in tea soils(Fernando, V)	**57(1)**	05
Effect of inter-planting dadaps *(Erythrina lithosperma)* in tea(*Camellia sinensis)* on soil physical properties of an ultisol (Anandacoomaraswamy, A)	**57(1)**	11
Assessment of soil potassium and its uptake by ryegrass (Wimaladasa, G D)	**57(2)**	73
Effect of increasing level of lime ($CaCo_3$) on soil chemical properties of acid soils (Anandacoomaraswamy, S)	**60(1)**	04
Effect of levels of organic carbon on the persistency of diuron (3-(3,4-dichlorophenyl)-1-1 dimethyl urea) in an acid sandy soil (Peiris, H S N)	**61(1)**	20
Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications (Hettiarachchi, L S K)	**62(2)**	53
The effect of post prune operations on soil physical properties and yield of tea (Amarasekara, A R)	**65(1/2)**	76

Soil-Acidity

Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils (Wickramasinghe, K N)	**54(1)**	11

Soil- Erosion

Minimising soil erosion on tea estates in respect of manual weed control (Sivapalan, P)	**52(2)**	81
Soil erosion control measures for tea land in Sri Lanka (Krishnarajah, P)	**54(2)**	91

Soil-Fertility

Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication) (Golden, D C)	**53(1/2)**	43
Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils (Wickramasinghe, K N)	**54(1)**	11
Effect of soil reconditioning on growth and yield of tea (Amarasekara, A R)	**55(2)**	84
Effect of herbicides on urea hydrolysis in tea soils (Wimaladasa, G D)	**55(1)**	22
Effect of increasing levels of phosphate on sulphur mineralization of an ultisol under jungle and tea (Anandacoomaraswamy, S)	**56(1)**	35
Effect of increasing level of lime ($CaCo_3$) on soil chemical properties of acid soils (Anandacoomaraswamy, S)	**60(1)**	04
Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications (Hettiarachchi, L S K)	**62(2)**	53
Effect of different mulching materials on soil properties and growth of young tea (Wijeratna, M A)	**63(1)**	04

Soil-Humus

Humified phenol-rich plant residues and soil urease activity(Sivapalan, K)	**52(1)**	31
The biochemistry of soil humus-some current concepts (Sivapalan, K)	**55(2)**	58

Storage of Tea

A study of micro-organisms in black tea and their activities associated with storage (Ekanayake, A) **56(1)** 12

Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea (Liyanage, A C) **65(1/2)** 58

T

Tea tortrix (see Insects)

Termite

Efficacy of entomopathogenic nematodes to control up-country live-wood termite, *Postelectrotermes militaris* (Amarasinghe, L D) **62(1)** 16

Potential of using entomopathogenic nematodes to control up-country live-wood termite (*Postelectrotermes militaris*) (Amarasinghe, L D) **62(2)** 66

Pathogenicity of entomopathogenic agents against termites employing insecticidal bioassay with borax-toxicity method (Samarasinghe, Seetha M) **63(2)** 78

Tissue Culture

Callus formation from explaned organs of tea (*Camellia sinensis* L.)(Sarwar, M) **54(1)** 18

Studies on the tissue culture of tea *(Camellia sinensis* (L.) O. *Kuntze*). 1. Development of a culture method for multiplication of shoots (Arulpragasam, P V) **55(1)** 44

Studies on the tissue culture of tea *(Camellia sinensis* (L.) O. Kuntze). 2. Rooting of shoots produced in culture (Senaviratne, Poorna) **57(1)** 16

Studies on the tissue culture of tea *(Camellia sinensis* (L.) O. Kuntze) 3. Regeneration of plants from cotyledon callus culture (Arulpragasam, P V) **57(1)** 20

Studies on the tissue culture of tea *(Camellia sinensis* (L.) O. Kuntze). 4. Somatic embroygenesis in stem and leaf callus culture (Sarathchandra, T M) **57(2)** 50

Progress towards the commercial propagation of tea by tissue culture techniques (Sarathchandra, T M) **59(2)** 62

In *vitro* culturing of the burrowing nematode *Radopholus similis*, a serious root pest of tea, on tissue culture raised from carrot and ginger (Gnananpragasam, N C) **59(2)** 82

An *in vitro* and *ex vitro* rooting of micropropagated shoots of tea *(Camellia spp.)* (Rajasekaran, P) **64(1/2)** 12

Root formation on *in vitro* micro-propagated shoots of *Camellia sinensis* L. (Sarathchandra, T M) **65(1/2)** 05

V

Vegetative Propagation

Effect of growth substances on rooting of slow rooting tea clones (Kathiravetpillai, A) **52(1)** 35

A strategy to adopt the appropriate genetic diversity for planting clonal tea (Sivapalan, P) **55(2)** 53

Interaction between IBA, certain micro-nutrients and phenolic acids in relation to rooting of tea cuttings (Rajasekara, R) **58(1)** 25

Adventitious root formation in tea cuttings planted in different dates (Hamid, F S) **60(2)** 70

Nursery plant attributes as criteria for selection of new tea clones (Shanmugarajah, V) **60(2)** 76

Selection criteria for tea(A Review) (Shanmugarajah, V) **63(2)** 94

W

Water Activity

Water activity in tea (Thevadasan, A) **54(2)** 78

Water activity in relation to the size of black tea particles(Thevadasan, A) **58(2)** 87

Weeds

Management of *Crassocephalum crepidiodes* and *Erigeron sumatrensis* in High-grown tea (De Silva, M S D Luxmei) **63(1)** 28

Weed Control

Minimising soil erosion on tea estates in respect of manual weed control (Sivapalan, P) **52(2)** 81

The influence of methods of weed management in tea on the surface layer soil properties of an ultisol (Anandacoomaraswamy, A) **55(1)** 28

Weed Management (see Weed Control)

Weedicide

Use of oxyfluorfen as a pre-emergent weedkiller in young tea (Sandanam, S) **54(2)** 73

Effect of levels of organic carbon on the persistency of diuron (3-(3,4-dichlorophenyl)-1-1 dimethyl urea) in an acid sandy soil (Peiris, H S N) **61(1)** 20

Withering Troughs

Electronic Servocontrol for withering troughs (Ediriweera, D P) **60(1)** 30

Y

Yield

Comparative study of the relationship of tea yields and area variations due to slopes in hilly terrain using aerial photographs and survey maps (Perera, M B A) **53(1/2)** 11

Effect of harvesting on the growth and yield of low grown clonal tea (Nathaniel, R K) **55(1)** 14

Effect of soil reconditioning on growth and yield of tea (Anandacoomaraswamy, A) **55(2)** 84

Effect of grafting fresh cuttings on yield and drought resistance in tea (Pallemulla, D) **61(2)** 45

Effects of environmental factors on growth and yield of tea *(Camellia sinensis* L.) in the low-country wet zone of Sri Lanka (Wijeratna, M A) **64(1/2)** 21

Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea (Kathiravetpillai, A) **65(1/2)** 67

The effect of post prune operations on soil physical properties and yield of tea (Amarasekara, A R) **65(1/2)** 76

SUBJECT INDEX

A

Abaxial..
surface ...**55** 40
wax ...**55** 40
Acacia decurrens ...**56** 67
Acarina:Tetranychidae ...**59** 09
Accelerated storage ...**56** 13
Acetocarmine ...**54** 55
Acid sandy soil (see soil)
Acid soil (see Soil)
Acidity-soil (see also soil acidity)
Active ingredient ...**56** 42
Adaxial.. ...**55** 37
surface ...**55** 40
wax ...**55** 40
Aerial photographs ...**53** 11 **58** 94
Affinities ...**54** 78
Affinity for water ...**54** 78
Agar ...**54** 64 **59** 63
Agathis alba ...**56** 68
Ageratum conyzoides ...**54** 76,77
Agricultural..
development schemes ...**58** 96
diversification ...**59** 65,72
information ...**58** 10
knowledge system ...**58** 23
system ...**58** 10
Agro-climate zone ...**54** 91
Agro-climatic..
conditions ...**58** 73
factors ...**60** 22
regions ...**61** 04
Agro-ecological.. ...**54** 91 **59** 65
margins ...**59** 72
regions ...**58** 99
Air photo ...**59** 67
Alanine (see Amino acid)
Albizia.. ...**56** 67
chinensis ...**56** 68
falcata ...**56** 67
moluccana ...**56** 05
Alfisols (see soils)
Altitude ...**58** 51 **64** 51
Aluminium.. ...**52** 22,24,25,27 **54** 12,14**55** 32
56 38 **59** 04-08,52,53,56
60 04-07,14 **61** 04
saturation ...**60** 05,07,09,10,14

toxicity ...**60** 04
Amino acid **54** 62,63,65,67,70 **58** 65,75,76 **59** 16,25
Alanine ...**54** 65,67,70
Ammonia ...**56** 35
Ammonium.. ...**52** 32,**54** 12 **56** 38
acetate ...**56** 37
chloride ...**53** 45
ions ...**54** 12 **55** 22-24 **57** 74,75
nitrogen ...**56** 43-45
sulphate ...**53** 23,24,26-28,43,**54** 12,14,55 ...**56** 37,38,**57** 05
Ammonium sulphate (see also Fertilizer)
Anatomical ...**54** 55
***Anomala dussumeri* Blanchard (see Insect Pests)**
***Anomala mundissima* Walker (see Insect Pests)**
***Anomala Walkeri* Arrow (see Insect Pests)**
Antagonism ...**54** 70
Antibiotics ...**64** 05
Antifungal ...**64** 05
agents ...**54** 63
compounds ...**64** 05
Apex ...**54** 55
Apical.. ...**62** 25
dominance ...**55** 14
Aerial photograph ...**59** 42
Arginine ...**54** 64,66-68,71
Aroma ...**58** 68,69 **60** 37
Artemisia vulgaris ...**54** 77
Artocarpus integra ...**56** 68
Ascorbic acid ...**59** 63,64
Aseptic ...**54** 69
Ash content ...**52** 86
Aspartic ...**54** 64,65
Aspergillus ...**56** 17
Assessment of tea areas ...**59** 37
Assimilation of Nitrogen ...**52** 13
Astringency ...**55** 12 **56** 17
Atmosphere ...**54** 78
Audio-visual programme ...**52** 08
Autoclaving ...**55** 45 **59** 63
Auxin.. ...**54** 21 **57** 16 **58** 25 **59** 64 **64** 13,17
IBA ...**59** 62-64 **64** 15,17,19
NAA ...**52** 36-39 **64** 15,17
Auxin solutions(chronic auxin treatment) ...**64** 13
Axillary..
buds ...**53** 38 **55** 44-46
shoot production ...**55** 14
Azasterols ...**54** 04

B
Bacteria ...**56** 12,**59** 82 **63** 78
Bacteriostatic effect ...**56** 17
Baerman Funnel technique ...**53** 20
Bangladesh..
black tea ...**61** 15
tea pests ...**63** 70-77
Banlate (benomyl) ...**56** 06,10
Base saturation ...**60** 07,11,14
Basic cations ...**60** 04,05
Baycor (see Bitertanol)
Bayleton (see Triadimefon)
***Beauvaria bassiana* (see also Entomogenous fungs)**
Beauveria bassiana ...**54** 05 **63** 80,88
Beetle..
Cockchafer beetle ...**57** 68
Shot-hole Borer ...**54** 04,05,08,09,24 **58** 50
Scolytid ...**54** 05
Benlate ...**52** 39
Benzile Amino Purine(BAP) ...**57** 51 **59** 62,63,64
Benzotropolone ring ...**55** 05
Benzyl..
alcohol ...**58** 68
aminopurine ...**64** 13
Beverage ...**59** 04,52
Bi-clonal seedlings (see seedling)
Bidens pliosa ...**54** 77
Bio-assay technique ...**63** 78,83,86
Biochemical..
basis ...**54** 04
process ...**61** 15
Biochemistry of tea ...**59** 24
Bio-control agents ...**63** 77 **62** 66
Biogas ...**53** 40
Biological control ...**59** 82 **61** 39 **62** 46
Biomass ...**63** 46 **64** 43
Biometric ...**54** 61
Biosynthesis ...**54** 18
Bis-flavonols ...**58** 65
Bitertanol ...**56** 25-27,30
Biuret.. ...**57** 05-09
degradation ...**57** 09
toxicity ...**57** 06
Bivalents ...**54** 55,57
Black root disease (see Disease, root)
Black tea manufacture (see Manufacture)
Black tea ...**52** 08,32,84,86,87,88 **53** 48,49
58 64,111,87-89
59 04,05,16,52,54-56,60 **60** 22
chemical characteristics ...**58** 87
microbiology ...**56** 12

Black tea processing (see Processing)
Blackness ...**55** 75,**62** 32
Blister blight (see Diseases, leaf)
Blister blight spores ...**64** 06
BM ...**56** 14,**59** 52
BOP ...**56** 14,**59** 52
BOPF ...**56** 14,**59** 52
Borax extractable P contents ...**56** 37,38
Borax Toxicity Method ...**63** 78
Branch breakage ...**54** 09
Branch canker (see Disease)
Branch ...**52** 61
Breakdown products ...**56** 85
Brew ...**59** 60
Brewing time ...**59** 06-08
Bright & dark liquoring clones ...**55** 54
Bright colour ...**54** 27
Brisk liquor ...**54** 27
Briskness ...**54** 28
Brood development ...**54** 09
Browning ...**55** 46
Bud.. ...**59** 04,63,64 **60** 40
    and two leaves ...**55** 14
    growth ...**52** 17
Bulk density ...**55** 29 **58** 56
    storage ...**56** 13
Burrowing nematode (see Nematode)
Bush..
    formation ...**52** 56
    population ...**52** 11
    spread ...**60** 47,53

C
Cadmium ...**59** 56,60
Caffeine ...**54** 18,28 **55** 08,11,12,40
58 69,75-77,**59** 52,56,**61** 06
Calcium deficiency (see Deficiency)
Calcium.. ...**52** 22 **53** 24 **54** 11,12,14,17
55 22 **59** 04,33,35 **60** 05,07
    ammonium nitrate(CAN) ...**53** 24,30-32 **54** 11
    carbonate ...**54** 17
    magnesium carbonate ...**60** 04
    oxide ...**60** 04
Calixin see Tridemorph
Calliandra calothrysus ...**62** 45
Callus..
    culture ...**54** 18 **57** 20
    formation ...**54** 19,21 **57** 53
    induction ...**54** 19
    tissues ...**59** 82
Camellia..
    japonica ...**64** 17

sinensis ...**54** 18,84 **59** 04,62,64
Capacitance method ...**58** 56,57
Carbohydrate.. ...**52** 13,25 **59** 25
metabolism ...**55** 77
resources ...**52** 22,29,26,27
status ...**52** 18
Carbon ...**56** 45
Carboxin ...**56** 23
Casein hydrolysate ...**54** 63,69,70
Casuarina ...**56** 67
Caterpillars ...**54** 67
Catechin.. ...**58** 69 **59** 24,27 **62** 04
gallate ...**55** 11
Cation exchange capacity (CEC) ...**55** 32,65 **56** 39 **60** 04,06,07
Cation exchange sites ...**55** 22,23
Cationic surfactant ...**58** 119
Cedrella toona ...**56** 67
Cell turgor ...**64** 22
Chafers or cockchafers (see Insect pests)
Charcoal ...**53** 40
Chekiang Green Tea Model 180 ...**59** 17
Chemical weed control (see weed control)
Chemical weeding (see weeding)
Chemistry of tea ...**59** 24
Chena system ...**58** 92,94
Chinese jasmine tea ...**57** 67
Chinese tea ...**59** 07,08
Chloroform test ...**57** 24,25
Chlorophyll ...**55** 71,72,74, **56** 85 **62** 32,35
Chromosome ...**54** 61
***Cladosporium fulyum* (see Fungi)**
Clay.. ...**62** 53,54,58,63,64
loam ...**52** 31
minerals ...**54** 14
Clayloma ...**53** 47
Clean pruned plant (CP) ...**55** 96-100
Clean weeding ...**52** 81,83
Cleft grafting ...**61** 45,46
Climatic ...**59** 65
Cl-ions ...**53** 43,45
Clonal..
characteristics ...**60** 22
differences ...**64** 29
selection ...**52** 06,07 **60** 76
variation ...**64** 24
Clones ...**52** 07,35,39,55,66,67,71,75,77
54 09 **55** 55-57 **57** 18,46 **58** 50
59 09,10,62 **60** 22-27,76-78,83
61 45-50 **62** 04,06-10,34
64 68,70,76
Clorox ...**57** 50
Cloves ...**59** 37
Cluster system ...**58** 101

C-N ratio ...**53** 49
Cockchafer beetle (see Beetle)
Coconut plantation ...**58** 94
Coffee ...**58** 92-94 **59** 65
Coffee leaf trust disease ...**58** 92
Coffee leaf trust disease (see also *Hemilia vastarix*)
Colarado potato beetle ...**54** 70
Colarado potato beetle (see also *Leptinotarsa decemlineata*)
Collar-rot (see Disease)
Coller canker (see Disease)
Colletotrichum gloeosporoides ...**62** 25
Colour ...**54** 28,55
mismatch technique ...**57** 55
Commellina ...**54** 76
benghalensis ...**54** 77
nudiflora ...**54** 77
Common timber ...**56** 78
Communication.. ...**58** 09,10
tools ...**58** 24
channels ...**58** 23
link ...**58** 19-21
processes ...**58** 24
strategies ...**58** 09
Composite capacitance ...**58** 57
Composition ...**57** 49
Compounds ...**59** 25
Computer programme ...**56** 48
Confidence limits ...**58** 62
Constituent ...**54** 78
Contaminated ...**52** 41 **54** 46
Contour.. ...**54** 94
planting ...**59** 67
Control of weeds (see Weed control)
Control system ...**60** 31
Conventional dryers (see Dryers)
Cooling ...**59** 20
Copper.. ...**52** 27 **56** 28,30,85
59 34,35,52,53,56,60
based formulation ...**56** 22
formulations ...**56** 25
fungicides ...**61** 31-33
Corn roots ...**59** 83
Correlation coefficient ...**54** 82
Cotyledon.. ...**57** 16,20,22 **59** 62
callus ...**55** 44,46 **57** 20
pieces ...**55** 47
Couch grasses (see Grasses)
Cover crops ...**53** 30
Crassocephalus crepidiodes ...**54** 77
Cream of tea ...**59** 56
Creaming ...**55** 05
Crop..
Growth Rate (CGR) ...**52** 65

productivity ...**52** 47
protection ...**52** 07
Crostalaria ...**62** 45
anagyroides ...**56** 67
CTC manufacture (see Manufacture)
Ctencecera..
decemlineata ...**54** 70
destructor ...**54** 70
Cultivars ...**63** 94
Culture ...**59** 62-64
Cultural..
operations ...**52** 07,08
practice ...**52** 07,13
Cuprous oxide ...**56** 24-26
Curve fitting technique ...**52** 77
Cuticle ...**55** 36
Cuticular transpiration ...**55** 40
Cuttings ...**52** 37
Cycle permanance ...**63** 71
Cymbopogan confertiflorus ...**53** 47 **55** 69,84-88,90
Cynodon ...**53** 39
Cysteine ...**54** 70
Cystine ...**54** 63-65,67
Cytokinin ...**54** 21 **59** 64
Cytological studies ...**54** 55,57
Cytokinins ...**55** 100

D
Dadap.. ...**52** 32 **53** 32,47-49 **56** 05 **62** 44
leaf ...**52** 84,86 - 88
Dadap (see also *Erythrina lithosperma*)
Dalapon ...**54** 73
Daploid parent ...**54** 57
Darjeeling ...**54** 31 **61** 39,40
Dark colour ...**54** 27
Dead plants ...**52** 52
Debilitation ...**54** 09
Decaffeination ...**55** 04,11,12
Decapitation ...**52** 57,62
Decreaming ...**55** 11
De-enzyming ...**59** 16
Deep..
forking ...**56** 11
planting ...**53** 07,08
Deficiency..
symptoms ...**52** 27
Calcium ...**60** 04
Defoliation.. ...**52** 17 **55** 97-101 **57** 68 **59** 09 **62** 43
mother leaf ...**52** 56
Degallation ...**55** 04,11,12

Degenerated ...**59** 67
Deletion studies ...**54** 70
Density ...**58** 57
Dental caries ...**59** 60
Desirable tea ...**54** 27
Desmodium ...**52** 82
Desorpting..
absorbed moisture ...**54** 82
tea dhools ...**54** 82
isotherm ...**54** 80
Development strategies ...**52** 09
Dhools ...**56** 83 **58** 88,111,114
Dichlorophenyl ...**56** 42
Die-back ...**52** 07,8,13,17,19,52 **54** 09,24 **62** 25,46
Dielectric constant ...**58** 57
Dietary ingredients ...**54** 70
Diet-deletion ...**54** 63
Diets ...**54** 67
Diploid ...**54** 55,57
Dipping technique ...**64** 15
Dipterocarpus cornutus ...**56** 68
Disbudding ...**52** 57,58,61,62
Disc micrometer ...**54** 55
Discriminatory shear plucking ...**53** 38
Disease.. ...**52** 06,08 **56** 22
Branch canker ...**53** 05
causing organisams ...**54** 10
Coller canker ...**53** 05
Collar rot ...**53** 07
leaf-Blister Blight ...**53** 35 **56** 22 **61** 31 **62** 46 **64** 05
tolerance ...**52** 07 **60** 22
Macrophoma ...**53** 05,08
root.. ...**52** 52,53
Black root ...**53** 09
Phomopsis ...**53** 05,06,89
Red root ...**56** 05,11
Rosellinia ...**53** 06,08,09,10
Soft root rot ...**52** 52,55
Diuretic effect ...**59** 52
Diuron (see Herbicides)
Diversification of tea lands ...**59** 37
Dolomite ...**57** 34-36 **61** 04,05,08-14
Dolomitic limestone ...**62** 54,57, 58
Doona gardneri ...**56** 05
Dormant ...**52** 52
Dormax ...**64** 67,70-74,76
Dormax (see also Hydrogen Cyanamide)
Double node cuttings ...**61** 46
Drainage ...**59** 67
Driers ...**52** 08
Conventional dryers ...**53** 41 **58** 113 **63** 53,61,62

64 44
Fluid Bed Dryers ...**53** 41 **58** 87 **63** 53,57,59,61
64 44
Vibro Fluid Bed Dryers ...**64** 36
Drought.. ...**52** 06,07 **53** 29 **61** 49
conditions ...**52** 67
resistance ...**55** 36,37,40
tolerance ...**60** 22,46 **61** 45,46,50
Dry..
matter ...**52** 61,66 **58** 57
spell ...**52** 52
weather ...**52** 53
weight - plants ...**52** 37
weight - roots ...**52** 37
weight - shoots ...**60** 82,83,86
Drying ...**53** 39 **59** 21 **63** 48,49,52,56
64 35,46,49
Drymaria cordata ...**54** 77
Duncan's New Multiple
Range Test (DNMRT) ...**60** 23,25,26
Durio zipethinus ...**56** 68
Dust ...**59** 52

E
E. vexans ...**56** 24
E-2-hexenal ...**58** 45,66-68
Earthworm ...**62** 42
EBI fungicides ...**56** 33
Ecological..
balance ...**58** 98
hazards ...**59** 65
variables ...**59** 65
Economic ..
feasibility ...**54** 84
productivity ...**52** 06
viability ...**54** 85
harvesting ...**55** 16
rehabilitating tea lands ...**55** 89
Ecosystem ...**61** 39
ECP (see Driers)
Eelworm see (Nematodes)
Effect of altitude ...**64** 51
Effective Cation Exchange
Capacity ...**60** 04,07,13,14
Electrical energy ...**53** 39
Electronic servovontrol ...**60** 30
Electro-ultrafiltration (EUF) ...**57** 74
Elements ...**59** 52,63
Elevation ...**54** 91 **64** 68
Elliptical ...**54** 55
Embryo ...**59** 62

Emilia javanica ...**54** 77
Endless Chain Pressure (ECP) dryer see Dryer
Endless Chain Tray Driers (see Driers)
Energy..
Heat ...**53** 39
Thermal ...**63** 52,59 **64** 35
Solar ...**63** 69
sources ...**53** 39
utilization ...**63** 46
Entomogenous fungus ...**54** 05
Entomopathogenic fungi (see Fungi)
Entomopathogenic nematodes (see Nematodes)
Entomopathogenic nematodes ...**62** 11,14-16,18,23
Entomophagy ...**61** 42
Environmental..
factors ...**64** 21
conditions ...**58** 83
system ...**58** 11
Enzymes.. ...**54** 69
activity ...**61** 15-18
oxidation ...**56** 83,84
reactions ...**54** 82
Enxymic oxidations ...**58** 68
Epicatechin.. ...**55** 11 **59** 24,27
gallate ...**56** 83 **59** 24,27
Epicuticular wax ...**55** 11,37
Epigallocatechin.. ...**59** 24,27
gallate ...**56** 83 **59** 24,27
Eppawella apatite ...**56** 35
Equilibration ...**58** 87
Equilibrium.. ...**54** 78 **57** 76 **58** 57
moisture content ...**54** 78,79,82
relative humidity ...**54** 78,79,80
Eragrostis curuvla ...**55** 84-88 **64** 76,78
Ergosterol-biosynthesis
inhibitors(EBI's) ...**56** 23-25
Erigeron sumatrensis ...**54** 77
Erodibility ...**54** 93
Erosion ...**52** 09 **54** 95
Erosivity ...**54** 93
Erythrina lithosperma ...**53** 47 **56** 67 **57** 11-13
Ethanol ...**59** 62
Ethokem ...**58** 119
Eucalyptus ...**56** 67
Eucalyptus grandia ...**64** 47,48
***Eucalyptus grandis* (see Firewood species)**
Eugenia polyantha ...**56** 68
Eupatorium riparium ...**54** 77
Eusideroxylon zwageri ...**56** 68
Evaporation ...**54** 84 **60** 48,64
Evapotranspiration (ET) ...**60** 46,47,64
Evergreen rain forest (see Forest)
Ex vitro ...**64** 12,17,19

Exchange capacity ...**52** 84
Exchangeable..
acidity ...**60** 04,06,07,14
Ammonium Nitrogen ...**56** 43
bases ...**60** 06
potassium ...**56** 39
cations ...**59** 04
Exibasidium ...**64** 05,08
***Exobasidium vexans* (see Fungus)**
Exobasidium vexans ...**61** 31,34 **64** 10
Exogenous ...**54** 70
Exotic teas ...**54** 29
Explant ...**55** 45,46
Explant browning ...**54** 18,19,21
Export..
Agriculture ...**58** 92
crops ...**58** 94 **59** 37
Exposed galleries ...**54** 06
Extension.. ...**58** 09
practitioners ...**58** 23
programmes ...**58** 24
service ...**52** 05,08 **58** 23
workers ...**58** 24
Extraction of polyphenols ...**59** 25

F
Factory machinery ...**53** 39 **52** 08,47
Fagus sylvatica ...**56** 68
Fannings ...**59** 52,53
Farming systems ...**58** 09
Fat body ...**54** 69
Fatty acid ...**54** 63 **57** 49
FBD (see Driers)
Fe (see Iron)
Feacal pellets ...**54** 68
Feeder root ...**52** 54,55 **55** 96,97
Feeding activity ...**54** 71
Fenamiphos ...**56** 96
Fensulfothion ...**56** 96
Fenthion ...**54** 08
Fenuron see (Herbicides)
Fermentation.. ...**56** 83 **57** 24,25,28 **58** 111-114, **63** 48
period ...**60** 22, 23
temperature ...**60** 23
Fermenting.. ...**56** 85 **58** 117
dhool ...**54** 82 **58** 116
Ferns ...**59** 65
Ferrous ...**54** 12
Fertilizer.. ...**52** 09,11,34 **53** 23-26,30-32 **54** 11 **55** 22 **60** 04 **62** 53,41,54

applications ...**53** 32
mixtures ...**53** 30
NPK ...**55** 75 **56** 36,37
policy ...**53** 30
recommendation ...**53** 32, 36
requirements ...**52** 21 **53** 31
Sulphate of ammonia(SA) ...**53** 24,30-32 **55** 22,23 77-79 **56** 38
artificial ...**52** 82
Nitrogen ...**53** 23 **60** 04
Potassium ...**55** 71
SO_4-S ...**55** 80
Sulphur nutrition ...**55** 77
Zinc sulphate ...**55** 80,84,90
Ficus ampelas ...**56** 68
Field operations ...**56** 48,49
Firewood species..
Eucalyptus grandis ...**64** 38
Firewood ...**63** 62
Firing ...**58** 111 **59** 21 **63** 48,49,52,56
Flavanols ...**56** 84,85 **57** 24 **58** 65 **62** 4
Flavour.. ...**54** 31 **55** 54 **58** 40,64 **60** 36
index ...**58** 112-114,116
Flavoury teas ...**54** 29
Fluid Bed Drier - FBD (see Driers)
Fluoride ...**59** 60
Flush ...**53** 27,35 **55** 14 **59** 04,35 **60** 36
Flushworm (see Insect pests)
Fogus sylvatica ...**56** 81
Foliage ...**52** 17 **53** 37 **58** 92
Fomes lucidus ...**52** 53
Food stuffs ...**54** 78
Forest.. ...**58** 92 **59** 72
Evergreen rain ...**58** 96
Tropical rain ...**59** 65
Virgin rain ...**58** 96
Forking ...**56** 10
Fossil fuel ...**52** 11 **63** 57
Frame development ...**54** 23
Frame-wood ...**54** 05,06
Fruit trees ...**58** 92
Fuel-wood ...**53** 40 **63** 46,54,57, **64** 43,44,46,48
Fulvic acid(FA) ...**52** 84,86 **53** 48 **55** 60,64
Fumigated soil (see Soil)
Fungi.. ...**52** 54,55 **59** 82 **63** 78
Cladosporium fulyum ...**64** 07, 08,09
Entomopathogenic ...**63** 80
Hypoxylon ...**53** 35
M.anisopliae ...**63** 78
Fungicides ...**52** 36 **56** 06,07,10,11, 23-27,30-33 **62** 27

Fungus.. ...**53** 05,07 **56** 22
Exobasidium vexans ...**56** 22 **61** 31-33 **64** 05
Furnace ...**59** 17

G
Gallated tea polyphenols ...**55** 11
Gallic acid ...**55** 05
Gallocatechin ...**59** 24,27
Galloyl groups ...**55** 11
Gasifier system ...**63** 65
Gautemala grass ...**52** 32,84,86-88 **56** 07,39
Genetic.. ...**54** 61
diversity ...**55** 53
variability ...**54** 54,93 **63** 94
Genotypes ...**63** 97
Geocoris ochropterus **(see Insect pests)**
Geographic distribution ...**59** 67
Geometrically corrected images ...**59** 42
Geosmithia putterilli ...**56** 17
Geraniol ...**58** 68
Germination ...**54** 55,57 **56** 24 **61** 31,34
Gibberelic acid ...**52** 54
Gibberellins ...**55** 100
Girdling ...**53** 05
Gliricidia.. ...**52** 08 **53** 32
sepium ...**56** 67 **62** 44
Glutamic ...**54** 64,65,67
Glycosides ...**58** 70 **59** 24
Glyphosate ...**54** 73 **55** 23,24 **58** 118-120
Glyptotermes dilatatus ...**56** 67-70,78,80,81 **62** 46
Gnaphalium spp. ...**54** 77
Golden clone (see clones)
Grades of tea ...**59** 05,06,60
Graft combinations ...**61** 46-49
Grafting ...**61** 46,49,50
Grass.. ...**58** 92 **59** 65
Couch grasses ...**58** 118
Perennial ...**58** 118
Gravillea robusta ...**62** 44
Green..
crops ...**62** 25
leaf ...**59** 29,33
manure ...**57** 11 **62** 41,44
tea ...**57** 65 **58** 64 **59** 16,30,33,60
Green tea processing technique (see Manufacture)
Grevelliea robusta ...**56** 67
Ground chalk ...**60** 04
Growth.. ...**52** 35,57,61,67 **55** 84 **64** 21,67
analysis ...**52** 64,67
components ...**52** 64,67
room ...**59** 63

Grub ...**53** 07
Guard cells ...**54** 54
Guatemala ...**53** 21,47,48,49 **55** 69,84-88,90
64 76,78
Guatemala (see also *Tripsacum laxum*)
Guinea grass ...**55** 84-88
Guinea grass (see also *Panicum maximum*)

H
Harvest ...**53** 28 **55** 16,18,20
Harvesting ...**57** 29 **55** 15,17,19,20 **64** 51
Heat energy (see Energy)
Heat pipe heat exchangers(HPHE) ...**64** 35,38,41
Hedges ...**61** 40
Hedyotis spp. ...**54** 77
***Helopetlis* (see Insect pests)**
Hemilia vastarix ...**58** 92
Henderson equation ...**54** 80
Herbaceous plants ...**59** 62
Herbicides.. ...**52** 49,82 **54** 73
55 22-24,28,30,32,34
56 39,42,43,46 **58** 118,120
Diuron ...**54** 73,74 **55** 22,23,24 **56** 42
61 20-22
Kaolinite ...**57** 35
Paraquat ...**54** 73 **55** 23,24,29
Post emergent ...**61** 20
Pre emergent ...**61** 20
Fenron ...**55** 22
Monuron ...**55** 22
Neburon ...**55** 22
2,4 D ...**55** 29,73 **57** 53
Linuron ...**55** 22
residual ...**54** 73
Heterocyclic compounds ...**56** 23
Heterogeneity ...**63** 94
Heterogeneous ...**54** 54,84 **60** 16
***Heterorhabditis* (see Nematodes)**
Heterotropic biomass ...**55** 60
Heterozygous ...**54** 54
Hexenal ...**57** 46 **58** 69
Hexyl butyrate ...**57** 46
Histidine ...**54** 64,66,68,71
Holic diet ...**54** 62
Holidic ...**59** 83
***Holotrichia disparilis* Arrow (see Insect pests)**
***Homona coffearia* Neitner (see also *Lepidoptera:Tortricidae*)**
***Homona coffearia* Neitner** ...**54** 62
Hormones ...**52** 35
Host plants ...**63** 71
Humic..
acid (HA) ...**52** 84,85 **53** 48 **55** 60

materials ...**55** 60
matter ...**52** 31,32,84 **55** 65
Humidity levels ...**58** 112,117
Humification ...**52** 31 **53** 47
Humus exhibits ...**55** 67
Hybrid progenies ...**54** 55
Hybridity ...**54** 61
Hybridization ...**54** 61
Hydrocloric ...**54** 63
Hydroelectricity ...**53** 39
Hydrogen
cynamide ...**64** 70-72
ions ...**57** 74 **60** 04
Hydrolysis of urea ...**55** 22
Hydroperoxides ...**56** 85
Hydrophyllic collid ...**55** 67
***Hypoxylon* (see Fungi)**

I
IBA (see Auxin)
Immobilization ...**54** 11
In vitro ...**59** 82 **61** 31, **62** 27,**64** 12,13,15
In vivo ...**62** 27
Inactivation ...**59** 16
Incubation ...**60** 04
Indigenous China jat ...**59** 16
Indoleacetic acid (IAA) ...**58** 25
Indolebutyric acid(IBA) ...**52** 36-39 **57** 16-18,51,53,**58** 25
Indonesian jasmine tea ...**57** 65
Infectivity ...**62** 11,12,14,16,24
Infestation ...**54** 46
Infilling ...**52** 07,08,11,12,47,49 **53**,35
Information.. ...**58** 11
links ...**58** 19, 20
source ...**55** 90 **57** 29 **58** 09,11,19
technology ...**58** 09
transfer ...**58** 22,23
Infiltration rate ...**55** 29,86
Infra Red Bulb ...**58** 56
Infra-Red(IR)tea moisture meter ...**57** 40
Infused leaf ...**59** 05
Infusion ...**59** 56,60
Ingredient services ...**54** 70
Inheritance ...**54** 54
Insect nutrition ...**54** 70
Insect Pests..
Anomala dussumeri Blanchard ...**57** 68
Anomala mundissima Walker ...**57** 68
Anomala Walkeri Arrow ...**57** 68
Chafers or cockchafers ...**53** 07

Geocoris ochropterus ...**61** 40-42
Helopetlis ...**61** 24
Holotrichia disparilis Arrow ...**57** 68
Leucopholis pinguis Burmeister ...**57** 68
Mealy bugs ...**53** 06,08,09
Microtrichia costata Walke ...**57** 68
Scarabaeid beetles ...**53** 07
White grubs.. ...**53** 07-09 **57** 70,72
attack ...**57** 68,72
Flushworm ...**53** 35
Holotrichia disparilis Arrow ...**53** 07 **57** 68
Red Spider mites ...**61** 24
Insects ...**54** 62 **61** 39
Insecticides ...**54** 04
Instant teas ...**55** 04
Instar larvae ...**61** 40
Inter planting ...**57** 01
Intermediate zone ...**52** 66 **54** 91
International standards ...**59** 42
Internode ...**53** 38
Inter-planted ...**62** 41
Iron ...**52** 27 **59** 34,52,56
Iron oxides ...**56** 38
Irrigation ...**54** 84
Isoleucine ...**54** 64,66,68,71
Isotherm ...**54** 82

J

Jasmine..
flower ...**57** 66
tea ...**57** 65-66
Jat ...**55** 28
JEDB ...**52** 09
Jewan ...**62** 46,48-52
Justica procumbens ...**54** 77

K

K-Activity Ratio (AR.) ...**57** 76
Kaolin ...**58** 118,119
Kaolinite (see Herbicides)
Kaolinitic clay ...**55** 32
Kieserite($MgSo_4.H_2O$) ...**57** 38
Knowledge.. ...**58** 10,11,24
process ...**58** 11
system ...**58** 09,11,19,21

L
Labour ...**52** 11 **58** 10
Land..
capability ...**58** 100
selection for replantation ...**58** 97
survey methods ...**53** 11
slides ...**59** 65
Land use.. ...**54** 91 **58** 92
classification systems ...**59** 42
map series ...**59** 67
mapping ...**58** 94 **59** 39
planning ...**58** 98,99,101
plan-reconnaissance ...**58** 100
plan-regional ...**58** 100
survey ...**58** 94
systems ...**58** 99
Larval duration ...**54** 67,70
Latosol ...**54** 97
Lead acetate precipitation ...**59** 25
Leaf..
apex ...**54** 54
area Index (LAI) ...**60** 47,52,79
area Ratio (LAR) ...**52** 68,73,75,78
area ...**52** 67,71 **60** 52,77,80
base ...**54** 54
callus ...**59** 62
clipping work ...**52** 62
diffusion resistance ...**60** 47,52
dimension ...**60** 48
droppings ...**52** 51
dry weight ...**52** 58,67,71
Extracts ...**61** 15
morphology ...**52** 66
patina ...**54** 57
pose ...**54** 57
shape ...**54** 57
size ...**54** 54
texture ...**54** 57
water potential ...**60** 52
Lepidoptera:Tortricidae ...**54** 62
Lepidopteran pests ...**61** 39
Leptinotarsa decemlineata ...**54** 70
Lesions ...**52** 41
Leucine ...**54** 64,66,68
Leucoanthocyanins ...**59** 24,25
***Leucopholis pinguis* Burmeister (see Insect pests)**
Light intensity ...**62** 41
Lime ...**60** 4-8,14
Linalool.. ...**58** 45,68
oxide ...**58** 67,68
Linolenic acid ...**54** 63,64 **57** 49
Linuron see (Herbicides, Urea)

Lipids ...**58** 64 **59** 52
Lipoxygenase ...**58** 70
Liquor ...**59** 08
Liquor characteristics ...**54** 28 **55** 54
Live wood termites (see Termites)
Live-wood termite ...**62** 46,66
Lonalool ...**60** 39
Loppings ...**62** 42
Loss of mass ...**58** 57
Low ..
country ...**55** 56,**58** 50
grown tea ...**57** 55
predation ...**61** 42
shoots ...**64** 22
Lungs.. ...**52** 13
branches ring-barked ...**55** 96
pruned plants(RL) ...**55** 97-101
pruning ...**52** 13
shoots ...**55** 94
Lymantrid caterpillar
(*Euproctis latisfascia*) ...**61** 39-42
Lysine ...**54** 64,66,68,71

M
***M.anisopliae* (see Fungi)**
Maceration ...**61** 15
Macro nutrients ...**59** 29,30
***Macrophoma* (see Diseases)**
Made tea ...**58** 111 **59** 04,05,52,53,56
60 23
Magnesium ...**53** 24 **54** 11,12,14,17 **55** 22
56 36,39 **57** 34,35,37,
59 04,33,35,52,53,56,60
60 05,07,**61** 04,05
Mana grass (see also *Cymbopogen confertiflours*)
Mana grass ...**52** 32,84,86-88 **53** 21,47,48,49
55 69,84-86,90
Manganese ...**52** 22,27 **56** 85
59 04,34,52,56,60 **60** 05
Mangifera..
caegia ...**56** 68
indica ...**56** 68
Manual weeding (see Weeding)
Manufacture.. ...**52** 05,08,11 **58** 64,116 **59** 16
60 22 **63** 48
Black tea ...**56** 83 **61** 15
CTC ...**52** 51 **53** 34,41 **57** 28 **58** 67-70
60 22-24,**63** 48
Green tea ...**57** 65
Orthodex ...**52** 51 **53** 41 **54** 31,80 **58** 69
61 15 **63** 48

Orthodox-Rotorvane ...**54** 80
LTP ...**52** 51
Rotorva ...**54** 80
Manurial..
aspects ...**53** 30
recommendations ...**53** 30
Market..
intelligence ...**52** 50
price see also Sale price ...**54** 29,30
Mass culture ...**59** 82
Material characteristics ...**54** 79
Mature
leaf ...**52** 32,84,86-88 **53** 27,49
59 04-06
McIllvaine's buffer (see also Citric acid)
-disodium hydrogen phosphate...**52** 32
Mealy-bugs (see Insect pests)
Mean air temperature ...**64** 60,62
Mercuric Chloride($HgCl_2$) ...**57** 50 **59** 62
Meridic ...**59** 83
Metabolic ditruptors ...**59** 82
Metabolism ...**52** 28
Metaphase ...**54** 57
Metarhizium anisopliae ...**63** 80,88
Methanol ...**59** 25
Methionine ...**54** 64,66,68,70,71
Methyl bromide ...**53** 19 **56** 06
Methyl esters ...**54** 63
Methyl salicylate ...**58** 67
Methyl-p-hydroxy-benzoate ...**54** 64
Metrosideros sp ...**56** 68
Microbial..
activity ...**56** 35
gum ...**55** 67,68
polysaccharides ...**55** 68
population ...**55** 30 **56** 12
symbionts ...**54** 69
Microbiological aspects ...**56** 12
Micro-cuttings ...**57** 18
Microfauna ...**52** 49
Microflora ...**52** 49
Micrometer ...**54** 54
Micro..
nutrients ...**58** 26
organisms ...**56** 17,39 **59** 82 **62** 43
Micropropagation ...**55** 44,46,47 **57** 16,19 **59** 62,64
***Microtrichia costata* Walker (see Insect pests)**
Mid grown tea ...**58** 104
Mid-country ...**52** 41 **58** 50
Mimosa ...**53** 30
Mineral nutrient ...**52** 21,27
Mineralised ammonia ...**56** 43,44
Mineralization ...**54** 11 **56** 35,46 **62** 43

Mineralogical ...**62** 53,63
Miniature dryer (see Dryers)
Miniature tea ...**56** 13
Mini-hydroelectric ...**53** 40
Minor..
elements ...**59** 63
Minor export crops ...**59** 72
Mites ...**62** 46
Mixed cropping ...**58** 92
Modeling approaches ...**61** 25
Modified Hewitt's nutrient solution ...**52** 13,14
Moisture.. ...**54** 78,79,82 **56** 17,58 **57**40 **58** 56,57,87-89,112,113 **60** 48,52 **62** 42 **64** 44
determination ...**57** 40,41
extraction ...**60** 48
retention capacity ...**55** 22
stress ...**61** 45,49
Molybdenum ...**52** 27
Monoaxenically ...**59** 83
Monuron (see Herbicides)
Morphogenetic features ...**54** 57
Morpholines ...**56** 23
Morphological characters ...**54** 55,84 **58** 104 **60** 76 **63** 97,98
Mortality rate ...**54** 84
Mother leaf ...**52** 56, 57 **61** 39
Mulch ...**52** 07 **54** 94 **62** 43
Muriate of potash ...**53** 43,45 **56** 35
Mycelium ...**62** 30
Myo-Inositol ...**59** 63

N
NAA (see Auxin)
Naphthylacetic acid ...**58** 25
Nationalization- plantations ...**58** 97
Natural enemies of tea pests ...**61** 39
Natural vegetation ...**58** 96
Neburon (see Herbicides)
Neem ...**62** 47,48,50
Nematicides ...**56** 96,97
Nematodes.. ...**52** 41,54 ,55 **53** 21 **58** 84,85 **62** 07-50,52 **63** 78
Entomopathogenic ...**62** 66
infestation ...**53** 19 **56** 95 **59** 82
inoculum level ...**58** 84
population ...**58** 83
Burrowing ...**59** 82
Eeelworm ...**54** 46 **56** 95 **58** 84
Heterorhabditis ...**62** 11,13,17 **63** 78,80,82,90,91

Pathogenic ...**58** 83
Parasitic ...**62** 46
Root-lesion ...**52** 41 **53** 19
Root knot nematode ...**59** 83
Pratylenchus loosi loof ...**52** 55 **53** 19,21 **56** 95
58 83 **62** 47 -49
Pratylenchus minyus ...**59** 83
Radophlus similis ...**58** 83,85
Net Assimilation Rate (NAR) ...**52** 64,65,68,73,78
Neutralizable acidity ...**60** 04
New clearings ...**52** 07
Nickel salts ...**56** 23
Nicotiana tobacum ...**53** 47
Nitrate.. ...**54** 12 **55** 32
Nitrogen ...**56** 43-45
Nitrification ...**53** 43 **54** 11
Nitrifiers ...**56** 44
Nitrogen ...**52** 14,17,19,22-29,31
53 24,25,27,31,32,43,46-49
54 11,12,14 **55** 32,71,73,81
56 35,36,45 **57** 05,34,38
59 52,53,56
Nitrogen fertilizer (see Fertilizer)
Nodal explants.. ...**55** 46 **57** 53
mother leaf ...**52** 62
Nodes ...**59** 62
Non..
humic matter ...**55** 67
dolomitic ...**62** 53,54,58,64
enzymic oxidation ...**56** 83-85
fermented form of tea ...**57** 65
humic fraction(NHF) ...**52** 86 **53** 48
parametric characters ...**54** 55
photosynthetic ...**52** 71
pollarded ...**62** 44
steroidal amines ...**54** 04
North-east monsoon ...**56** 65
NPK fertilizer (see Fertilizer)
Nursery.. ...**52** 35 **61** 39
conditions - Standard ...**60** 77
plants ...**56** 95 **60** 76,78,79,83,86
Nutrient requirements ...**52** 21
Nutrients.. ...**52** 27,28 **53** 27 **59** 29,30,52
62 42
status ...**59** 29

O

Olidonychus coffeae ...**59** 09,14
Oligidic ...**59** 83
Optimal growth.. ...**54** 62
harvesting frequency ...**55** 15
Organic..
acids ...**55** 32
carbon ...**52** 32,33 **53** 33 **55** 32 **56** 36 **57** 12 **60** 06,**61** 20
colloids ...**56** 38
humic fractions ...**52** 88
matter(OM) ...**53** 31,33,35,49 **55** 30,68,69 **60** 14 **62** 42
mulches ...**52** 82
sulphur ...**56** 35
Organisms ...**54** 10
Organizational system ...**58** 11
Organoleptic ...**60** 40
Orthodex black tea ...**52** 08
Orthodox manufacture see (Manufacture)
Orthoquinones ...**58** 65,70
Osmotically ...**54** 69
Out-turn made tea to green leaf ...**56** 87
Oven method ...**54** 80
Oxalis latifolia ...**54** 77
Oxidation ...**59** 64
polyphenols ...**58** 116
Oxides ...**58** 66
Oxidized polyphenols ...**55** 05,08 **59** 16
Oxisols (see soils)
Oxycarboxin ...**56** 23
Oxydation ...**56** 85
Oxyfluorfen ...**54** 73,74 **56** 42

P

P. hypolateritia ...**56** 06
***P.Loosi* (see Nematodes)**
Pan evaporation ...**60** 64 **56** 59,87
Panicum maximum ...**55** 84-88
Panicum Repens (L.) Beauv ...**58** 118
***Panicum Repens* (L.) Beauv (see also Couch grasses)**
Panning ...**59** 20
Paraquat (see Herbicides)
Parasites ...**54** 10 **62** 42
Parasitic ...**59** 82
Parasitic nematodes (see Nematodes)
Partental..
stock ...**54** 54
type ...**54** 55
Particle size ...**55** 30 **58** 87
Passenger bush ...**54** 06

Patana ...**58** 96
Pathogenicity ...**53** 19 **58** 83,84
Patina ...**54** 55
Pectase ...**58** 70
Pekoe ...**59** 52,56
Pencil thickness ...**56** 10,11
Pencillium corylophilum ...**56** 17
Penicillium citrinum ...**56** 17
Penman-Monteith equations ...**60** 64
Pepper ...**59** 37
Peptide chains ...**54** 69
Percentage aggregation ...**55** 34
Perennial.. ...**54** 84
    crops ...**58** 94 **59** 24
Perennial weed ...**61** 40
Perennial woody plants ...**52** 65
Perennial grasses (see Grasses)
Perennial weeds (see Weeds)
Periodical Monitoring ...**59** 43
Pest.. ...**52** 06,08 **56** 22,57 **62** 46
    Root pest of tea ...**59** 82
    Colonization & distribution ...**61** 24
    composition.. ...**63** 70
    control ...**61** 25
    management ...**52** 07
    tolerance ...**52** 07 **60** 22
Pesticides ...**62** 47 **63** 71,77
Petioles ...**59** 62
pH (see also Soil Acidity)
pH ...**53** 31 **56** 38,42 **55** 32 **57** 75
Phaeiohytin ...**55** 74
Phaeophorbide ...**62** 32
Phaeophytin ...**62** 32
Phago..
    inhibitory ...**54** 68
    stimulant ...**54** 70
Phenol.. ...**52** 31-34 **53** 47-49
    residues ...**52** 84,88
Phenolic..
    acid ...**59** 24
    contents ...**52** 84
    polymers ...**55** 62
Phenylalanine ...**54** 64,66,70,71
Pheromone activity ...**59** 82
***Phomopsis* (see Disease, root)**
Phosphorus ...**52** 22,25,27 **53** 31 **56** 36,37
59 30,33,53,56
Phosphate.. ...**53** 30, 31 **56** 35-39 **57** 38
    applications ...**53** 30
Photosynthesis ...**52** 18 **54** 23-25 **55** 94 **56** 48
Photosynthetic.. ...**62** 43
    activity ...**52** 66
    efficiency ...**55** 72

Phyllochrom ...**64** 51,52
Physicochemical parameters ...**54** 26
Physiographic regions ...**58** 99
Phytoalexins ...**64** 05,06,10
Phytochormones ...**55** 100
Phytotoxicity ...**54** 73,74 **58** 118,122
Pinus sp. ...**56** 68, 81
Piperazines ...**56** 23
Plant growth..
    analysis ...**52** 77
    regulator ...**64** 67,73
Plant..
    nutrient ...**57** 73
    parasitic nematodes ...**59** 82
    residues ...**52** 84 **53** 48
    sulphur ...**55** 79
    tissues ...**59** 64
Plantation sector ...**52** 09
Planters ...**52** 08
Planting.. ...**52** 07,08,11 **59** 67 **61** 20
    materials ...**52** 06 **60** 16
Plant-N ...**53** 49
Ploidy level ...**54** 61
Ploygenic effect ...**54** 57
Pluck analysis ...**55** 16
Plucker ...**55** 15,16,
Plucking.. ...**52** 11,47 **54** 25 **55** 14,15 **59** 67
    standards ...**53** 36
    table ...**53** 36
Podzolic ...**56** 36
Pollen.. ...**54** 55
    fertility ...**54** 55,57
    germination ...**54** 55
    tube growth ...**54** 55,57
Poly-clonal seeldings ...**52** 07
Polygonum capitatum ...**54** 77
Polygonum nepalense ...**54** 77
Polymerisation ...**58** 116
Polymetric proanthocyanidrins ...**55** 05
Polynomial regression ..
    analysis ...**52** 64,65
    equation ...**52** 67
Polyphagous predators ...**61** 39,40,42
Polyphanum orientale Wall
(Polygonaceae) ...**61** 40
Polyphenol..
    gallates ...**55** 11
    oxidase ...**57** 24 **58** 65,69,70 **61** 15-17
Polyphenolic.. ...**56** 85 **58** 77
    Polyphenols ...**53** 47 **54** 18,28 **55** 11 **57** 24
58 65,74-76,114,115
59 16,17,24,25 **62** 04
Polyploidization ...**54** 54,61

polysaccharides ...**52** 25 **55** 97
Poly-unsaturated ...**58** 70
Polyvinyl pyrolidone (PVP) ...**59** 62,64
Population
density ...**64** 21
dynamics ...**59** 09
level ...**58** 84
model ...**61** 20,28,30
Poria ...**56** 05-07,09,10
Poria hypolateritia ...**52** 52
Porosity ...**57** 13
Post emergent (see Herbicides)
Post prune cultivation ...**64** 76
Postelectrotermes militaris ...**56** 67-70,78,80,81 **62** 66,67
Post..
embryonic ...**61** 40
harvest handling ...**56** 85
Potash ...**52** 08,50 **53** 30-33,38 **57** 38
Potassium.. ...**52** 22,24,25,27 **53** 24,31,32,44 **54** 11,12,14 **55** 22,71,73,74 **56** 36,37 **57** 34,73,74,78,80
deficiency **55** 36 **59** 33,52,53,56,60 **60** 05,07 **61** 04,05
Potassium fertilizers (see Fertilizer)
Potential..
importance ...**54** 54
evaporation ...**56** 59
PP 969 ...**56** 24,25
Praire grain wire worm (see also *Ctenecera destructor*)
Praire grain wire worm ...**54** 70
***Pratylenchus loosi* loof (see Nematodes)**
***Pratylenchus minyus* (see Nematodes)**
Pre emergent (see Herbicides)
Precursor ...**54** 70
Predators ...**54** 10 **61** 41 **62** 42 **63** 78
Predatory efficiency ...**61** 41,42
Prediction equations ...**60** 64
Predisposing factor ...**52** 55
Pre-emergent herbicides ...**56** 39
Pre-weed-emergent ...**54** 73
Priestly-Taylor equation ...**60** 64,65
Primary branches ...**54** 06
Procedure ...**54** 54
Process engineering technology ...**52** 08
Processing (see Manufacture)
Product diversification ...**52** 08
Production ...**52** 06-09,11 **58** 10 **60** 22
Productivity ...**52** 05,06
Progency ...**52** 07 **54** 54
Progenies ...**54** 61
Proliferation ...**59** 64
Proline ...**54** 64,70
Propagation.. ...**59** 62,64

polysaccharides ...**52** 25 **55** 97
Poly-unsaturated ...**58** 70
Polyvinyl pyrolidone (PVP) ...**59** 62,64
Population
density ...**64** 21
dynamics ...**59** 09
level ...**58** 84
model ...**61** 20,28,30
Poria ...**56** 05-07,09,10
Poria hypolateritia ...**52** 52
Porosity ...**57** 13
Post emergent (see Herbicides)
Post prune cultivation ...**64** 76
Postelectrotermes militaris ...**56** 67-70,78,80,81 **62** 66,67
Post..
embryonic ...**61** 40
harvest handling ...**56** 85
Potash ...**52** 08,50 **53** 30-33,38 **57** 38
Potassium.. ...**52** 22,24,25,27 **53** 24,31,32,44 **54** 11,12,14 **55** 22,71,73,74 **56** 36,37 **57** 34,73,74,78,80
deficiency **55** 36 **59** 33,52,53,56,60 **60** 05,07 **61** 04,05
Potassium fertilizers (see Fertilizer)
Potential..
importance ...**54** 54
evaporation ...**56** 59
PP 969 ...**56** 24,25
Praire grain wire worm (see also *Ctenecera destructor*)
Praire grain wire worm ...**54** 70
***Pratylenchus loosi* loof (see Nematodes)**
***Pratylenchus minyus* (see Nematodes)**
Pre emergent (see Herbicides)
Precursor ...**54** 70
Predators ...**54** 10 **61** 41 **62** 42 **63** 78
Predatory efficiency ...**61** 41,42
Prediction equations ...**60** 64
Predisposing factor ...**52** 55
Pre-emergent herbicides ...**56** 39
Pre-weed-emergent ...**54** 73
Priestly-Taylor equation ...**60** 64,65
Primary branches ...**54** 06
Procedure ...**54** 54
Process engineering technology ...**52** 08
Processing (see Manufacture)
Product diversification ...**52** 08
Production ...**52** 06-09,11 **58** 10 **60** 22
Productivity ...**52** 05,06
Progency ...**52** 07 **54** 54
Progenies ...**54** 61
Proliferation ...**59** 64
Proline ...**54** 64,70
Propagation.. ...**59** 62,64

of tea vegetatively ...**61** 46
Protein source ...**54** 63
Proteins ...**59** 52,56
Pruning.. ...**52** 08,17,31,47,55 **53** 32,34-36
54 06,23,24 **55** 14,28,94,96
61 20 **63** 71 **64** 67,76
clean ...**55** 96
cycle ...**53** 36 **54** 05,25 **60** 77 **61**46,47
height ...**55** 16, 88
weights ...**61** 47-49
post ...**64** 76,80
Skiff ...**53** 36,38
Punched disc methods ...**52** 67
Pupae ...**54** 70
Pupal weights ...**54** 67
Pure cultures ...**59** 82
Purification ...**52** 86 **59** 27
Purified humic fractions ...**52** 86,87
Purity ...**54** 63
Pyracarbolid ...**56** 06
Pyridines ...**56** 23

Q
Quality.. ...**52** 11 **54** 27,28,30 **55** 56 **59** 67
58 41 ,111,113,116
60 22,25,28,36 **62** 04
clone ...**61** 45
standards ...**54** 27
Quarterly yield trends ...**61** 47
Quick lime ...**60** 04
Quinones ...**56** 85

R
Radiation ...**60** 48,52
***Radophlus similis* (see Nematodes)**
Radopholus similis ...**62** 48
Rainfall.. ...**54** 91 **55** 82 **56** 59,63,65,88
61 48
annual ...**54** 84
Randomized Complete Block
Design ...**60** 23
Rate of extension of tea shoots ...**64** 21
Ratio L/W ...**54** 54
RCL bridge ...**58** 56
Reconditioned soil (see soil)
Recovery from pruning ...**52** 18
Red Leaf Picking ...**57** 55
Red root disease (see Disease, root)
Red spider mite (see also *Olidonychus coffeae*)
Red spider mites ...**61** 39-42

Red spider mites (see Insect pest)
Red yellow podzolic ...**52** 31 **53** 47
Refuse tea ...**52** 51 **56** 14 **59** 06-08,52,53,
Regeneration ...**59** 62
Regression coefficeints ...**56** 88
Rehabilitation.. ...**52** 09 **55** 89-91,93
    using grasses ...**55** 84
Rejuvenation.. ...**52** 12 **53** 35
    pruning ...**53** 34-36
Relative..
    growth rate (RGR) ...**52** 64,65,68
    quality ...**54** 29
Remote sensing techniques ...**59** 39
Renewable sources ...**53** 39
Replanting ...**52** 06,07,11,12,47 **54** 95 **55** 89
Reserve metabolism
        as carbohydrates ...**52** 21
Residual herbicides ...**54** 73
Resistant..
    clone ...**52** 41 **58** 50
    insect pests ...**58** 50-52
    borer colonization ...**54** 09
***Reticulitermes santonensis* (see Termites)**
Rhizopus stolonifer ...**56** 17
Rim blight ...**55** 96
Rim-lung type ...**55** 16
Ring barking(RL-R) ...**53** 04,05,07-10 **55** 97-101
Rock phosphate ...**56** 35-36
Roll breaking ...**59** 21 **63** 48,49
Rolling.. ...**58** 111 **59** 20
     Roll Breaking ...**63** 48,49
Root..
    carbohydrate reserves ...**53** 34
    distribution ...**60** 47,54
    growth ...**58** 83
    influence ...**55** 94
    initiation ...**57** 16
    reserve(s) ...**54** 09 **55** 97
    respiration ...**52** 18
    Root-rot ...**52** 53
    shoot interaction ...**55** 99
    weight ...**58** 84,85
    wood reserves ...**55** 99
Root diseases (see Diseases-Root)
Root knot nematode (see Nematode)
Root-lesion nematode (see Nematode)
Root pest of tea (see Pest)
Rooting.. ...**52** 35,37
    medium ...**57** 17
    pattern ...**60** 85
Rootone ...**52** 36,37
Roots ...**58** 84

***Rosellinia* see (Diseases, root)**
Rotating barrel ...**59** 17,19
Rotorvane manufacture (see Manufacture)
Rotronic - Hydroskop DT ...**58** 87
Rotronic Hygroskop DT ...**54** 79,80
Rotylenchulus reniformis ...**62** 48
Rubber..
plantation ...**58** 94
wood ...**64** 43

S
Saccharum officinarum ...**55** 85
Sale price ...**54** 29
Saponin ...**54** 04,05
Saturation deficit of air ...**64** 53-57,60,62
Saturation vapour pressure deficits(SVPD) ...**64** 22,26,27,29,30-32
Scarabaeid beetles (see Insect pests)
Scavenging termites ...**58** 104,105
Scolytid beetles (see Beetles)
Scrub ...**59** 65
Seasonal teas ...**54** 29
Seedling.. ...**52** 07,08
bushes ...**61** 47
population ...**60** 76,77 **63** 96
tea ...**52** 11 **54** 84,93 **55** 53 **59** 67 **63** 97
Segmentation procedure ...**52** 65
Selection ...**60** 16-18
Selection criteria ...**52** 06 **60** 86 **63** 94
Semi..
permanance ...**63** 71
endoparasitic ...**52** 41
humid ...**54** 91
Serine ...**54** 65,67,70
Sesbania ...**62** 45
cinerescens ...**62** 46
Shade ...**52** 23,49,50 **62** 41
trees ...**52** 07,09,11,47 **59** 67,**62** 25 **63** 71
Shifting cultivation ...**58** 92
Shoot.. ...**55** 14 **58** 84 **59** 62-64 **60** 77 **61** 46
bud cultures ...**64** 13
density ...**52** 66 **55** 15
extension rates(SER) ...**64** 27,29
growth ...**52** 29 **61** 20
length ...**61** 20,77
population density ...**64** 21,24,25,31
replacement cycle (SRC) ...**64** 51-54,56,60
tip explants ...**55** 46

water potential ...**64** 23,24
Shot-hole Borer (see Beetles)
Side shoots ...**52** 59
Sieve shaker ...**58** 87
Sifting ...**58** 113-115 **59** 21
Significant difference ...**54** 68
Silicon ...**54** 12
Silkworm ...**54** 70
Silt fractions ...**62** 53,64
Simazine ...**54** 73
Simultaneous ...**54** 79
Single node cutting ...**61** 46
Size of shoots harvested ...**64** 21
Skiff prune (see pruning)
Skoog's medium ...**64** 12
SLA ...**52** 64,68
Slaked lime ...**60** 04
Slops ...**53** 11,12
SLSPC ...**52** 09
Small holders ...**52** 08
Social system ...**58** 09,11
Socio-economic ...**52** 27
Sodium.. ...**58** 10 **59** 35
benzoate ...**54** 64
Soft root rot see (Diseases, root)
Soil.. ...**52** 31,33,34 **54** 91 **55** 23 **56** 38 **59** 04 **60** 04,05 **61** 04,07,20
acid ...**55** 67
acid sandy ...**61** 20
acidity.. ...**52** 87,88 **55** 22 **54** 12,17 **57** 35 **60** 04 **61** 04
pH ...**53** 31 **56** 38,42 **55** 32 **57** 75
Alfisols ...**54** 91
analysis ...**53** 32
fertility ...**52** 50,82,83
Chemicalcharacteristics ...**61** 04
condition ...**60** 22
conservation ...**52** 47,82 **53** 33 **59** 67
erosion ...**52** 49,81-83 **54** 91,94 **55** 22 **58** 92,96 **59** 65 **62** 44
fractions ...**62** 57,58
fertility ...**53** 28
fuels ...**52** 11
fumigated ...**56** 06,96 **58** 84
humic constituents ...**52** 84
humus ...**55** 58
irrigation ...**53** 30,31
magnesium ...**57** 34
moisture ...**52** 83 **56** 59 **57** 09 **60** 48,52 **64** 21-24,30-32
Nitrogen ...**56** 46
nutrients ...**61** 04, 06
Organic Matter (SOM) ...**55** 58,60,69,78 **56** 35 **57** 09

Oxisols ...**54** 91
Physical characteristics ...**61** 04,06
physical properties ...**64** 76
pH ...**56** 38 **60** 05,06, **61** 04,05
plant-K interactions ...**57** 74
pohyphenols ...**52** 32,33
polysaccharides ...**55** 67
profiles ...**62** 53,54,57,58
properties ...**55** 28,29
reaction ...**61** 04
reconditioning ...**55** 85,86,89
rehabilitation ...**55** 89
Structure ...**55** 68
sulphur ...**55** 78
temperature ...**57** 09 **58** 84
topsoil ...**52** 81,82 **54** 93
type ...**58** 101
Ultisols ...**54** 91,93 **55** 28,29,34
Solar.. ...**53** 40
collectors ...**64** 49
Solar energy for tea drying & withering (see Energy)
Soldiers ...**58** 104
Soluble..
polyphenols ...**59** 60
solids ...**54** 30 **55** 08 **60** 41
sugars ...**52** 25
Nitrogrn ...**58** 75,76
Solution soak method ...**52** 39
Sorondi ...**52** 81
Sorting ...**59** 21
Sorting and Packing ...**63** 48,81
South India ...**53** 29 **61** 45
South-west monsoon ...**56** 65
Spices ...**58** 92 **59** 65
Stability ...**54** 79
Staining ...**54** 55
Stalk ...**57** 55 **60** 39
Starch ...**52** 19,25
Statistical overview ...**59** 72
Steam ...**53** 41
Steinermema.. ...**62** 11,13,17 **63** 78,89,90,92
carpocapsae ...**63** 81
Stem.. ...**53** 40 **59** 62 **60** 83
callus ...**55** 46
canker (*Macrophoma*) ...**55** 57
girth ...**60** 80
Stimulant ...**58** 64
Stomatal.. ...**55** 36
density ...**54** 54,55,57 **60** 47,53
Storage of black tea ...**56** 12
Strach-based holic diet ...**54** 68
Strength ...**54** 28

Strong thick ...**54** 27
Stylosanthes ...**52** 82
Sucrose ...**59** 63
Sugar cane (see also *Saccharum officinarum*)
Sugar cane ...**55** 85
Sulphate of ammonia (see Fertilizer)
Sulphur.. ...**55** 77-81 **56** 35-38
deficiency ...**55** 78
Sulphur nutrition (see Fertilizer)
Sun-scorch damage ...**54** 24
Surface runoff ...**54** 95
Surface wax ...**55** 37
Survey maps ...**53** 11
Susceptibility ...**52** 41 **59** 09
Symbionts ...**54** 69
Symposium ...**52** 46 **53** 28
Synthesis of amino acid ...**52** 18
Synthesized carbohydrate ...**52** 19
Synthetic diet ...**54** 63

T
Tannase ...**55** 11
Tea processing (see Manufacture)
Tea soil (see Soil)
Tea..
bag ...**59** 04,06
based products ...**52** 05
brews ...**59** 04,06-08,52,53,56,60
character ...**55** 54,82
cordials ...**55** 04
country ...**58** 92
cream ...**55** 04,05,11
cultivation areas ...**59** 37
estates ...**56** 48
fermentation ...**56** 85
flavanols ...**57** 24
fluff ...**59** 06-08,52,53
growing regions ...**62** 53,54
industry ...**63** 46
leaf surface ...**55** 37
leaves ...**59** 05,06,08,29,34-35,60
liquor ...**59** 04,52,56
micro cuttings ...**64** 12
nursery ...**61** 42
pests ...**61** 39
pests- Bangladesh ...**63** 70-77
pest interaction matrix ...**63** 73
plantation ...**58** 94
plants ...**52** 57
polyphenols ...**55** 11 **56** 83,85
proceeding ...**64** 46

production ...**52** 46,50 **53** 29
production in Bangladesh ...**61** 24
quality ...**54** 27
sherry ...**55** 04
shoots ...**53** 49 **59** 29
shoot tips ...**52** 32,84,86,87,88
stem ...**56** 70
termite ...**62** 17
tortrix.. ...**54** 62,69
Adult emergence ...**54** 68
Technical information ...**58** 21-23
Technology ...**52** 05
Tectona grandis ...**56** 68,81
Temperature ...**59** 63 **61** 15,17,18 **62** 41
Tephrosia.. ...**62** 45,46
vogelii ...**53** 06 **56** 67
Terminal shoots ...**58** 73 **64** 13
Termites.. ...**52** 07,08 **58** 104 **61** 24,25
63 74-79
Live wood ...**52** 07 **56** 67 **58** 104,105
Reticulitermes santonensis ...**63** 78-92
Zootermopsis ...**63** 78,79,88,90
Test Tube Culture ...**54** 04
Tetraploid ...**54** 55,57,61
Texture ...**54** 55
Thatching ...**52** 07 **55** 86
Thearubing ratios ...**53** 36
Theaflavin gallate ...**55** 05,11
Theaflavins (TF) ...**53** 36 **54** 28,29,31
55 05,08,11 **56** 83,84,85
58 41,65,67,69,70,115
59 25,56 **60** 39,40
Thearubigins (TR) ...**54** 28 **55** 05,08 **56** 84,85
Thermal Energy (see Energy)
Thermophiles ...**56** 17
Therracing ...**59** 67
Thiabendazol ...**56** 06,10
Thiamine HCl ...**59** 63
Third leaf ...**53** 27
Threonine ...**54** 64,66,68,70
Thrips (Sctrothrips dorsalis Bagnall) ...**61** 39,40
Thrips ...**62** 46
Thumbnailing ...**52** 57,58
Tipping.. ...**52** 55 **53** 36 **54** 25 **55** 16 **61** 49
weights ...**55** 85,86 **61** 46,49 **64** 71-72
Tissues.. ...**54** 69 **59** 64
browning ...**54** 21
culture ...**54** 18 **55** 44,47 **57** 16,20
59 62,82
Tobacco ...**52** 32,84,86-88 **53** 47-49 **59** 65
Total..
colour ...**54** 30

exchangeable bases (TEB) ...**60** 05,06
pore space ...**55** 34
potassium ...**55** 75
Totrix larvae ...**54** 63
Toxic.. ...**59** 60
chemicals ...**52** 08
defence chemicals ...**61** 42
metals ...**59** 52,60
Toxicions ...**59** 04
Toxicity ...**54** 70
Traditional packaging ...**52** 11
Trans-2-hexenal ...**57** 46 **60** 39
Transfer of knowledge ...**58** 09
Transpiration.. ...**55** 36 **60** 48,64
rate ...**60** 54
Trapping crops ...**62** 42
Triadimefon ...**56** 06,25,26,28,33
Triazoles ...**56** 23
Trickle irrigation ...**54** 84
Tridemorph ...**56** 06,07,10,23-26,30
Tripsacum lauxm ...**53** 47 **55** 69,84-88,90 **64** 76
Tritrophic chain ...**61** 42
Tropical rain forest (see Forest)
Tropical wood ...**56** 70
Trosine ...**54** 70
True humic matter(THM) ...**53** 48,49
Tryptophan ...**54** 64,66,68,71
Tween ...**57** 50
Tylenchus similis ...**52** 41
Tyrosine ...**54** 63,64,67,70

U
Ultisol (see soils)
Ungraded black tea ...**56** 13
Up country..
tea areas ...**55** 55
Wet Zone ...**60** 77
Upper catchment of the mahaweli ...**59** 72
Uprooted ...**52** 06,08
Urea.. ...**53** 23,24,26,31 **54** 11,12,14 **55** 22-24,77,78 **56** 35,36 **57** 05
fertilizer ...**55** 22
Nitrogen ...**54** 12,14 **55** 23
Urease **54** 12 **55** 23,24
activity ...**52** 31
Uva.. ...**58** 50
season ...**58** 43

V
Valine ...**54** 64,66,68,71

Valuation ...**54** 28
Vapour pressure ...**54** 79
Vegetables ...**59** 65

Vegetation ...**54** 91
Vegetative phase tea bushes ...**55** 14
Vegetative propagation ...**54** 84 **60** 16
Vermiform ...**52** 41
Vibro Fluid Bed Dryers (see Dryers)
Vigorous growth ...**52** 19
Viola spp. ...**54** 77
Virgin rain forest (see Forest)
Vitamins ...**55** 77 **59** 52,60
Volatile flavour compounds(VFC) ...**58** 64,65,68
Volatiles ...**58** 40 **60** 40
Volumetric water content ...**55** 29

W
Waste Lands Ordinance ...**58** 94
Water activity.. ...**60** 47
    capacity ...**57** 13
    Depletion Curves ...**60** 48
    holding capacity ...**55** 23 **56** 42 **64** 79
    retention ...**55** 29,34
    shades ...**52** 07,11
    distilled ...**54** 64
Wax constituents ...**55** 40
Weather ...**52** 55 **56** 49,58
Weed.. ...**55** 28 **62** 44
    Perennial ...**58** 118
    scraper ...**52** 81
    species ...**54** 77
    killer ...**54** 73
Weed control.. ...**52** 81,82 **55** 28 **61** 20
    chemical ...**54** 73 **55** 22
    manual ...**52** 81
Weeding- Manual ...**55** 22,32
Weeding-Chemical ...**55** 32
Weeping love grass (see also *Eragrostis curuvla*)
Weeping love grass ...**55** 84-88 **64** 76
Weight of prunings ...**55** 19
Wesson's salt mixture ...**54** 64
West Indian coffee ...**58** 92
Wet matter layer ...**58** 57
Wet zone ...**58** 99
Wheat starch ...**54** 64
White grub *(Holotrichia sp.)* see (Insect pests)
White mycelium ...**52** 53
Wind.. ...**53** 07,40
    damage ...**53** 08,09
Winged alates ...**58** 104

Withered flush ...**56** 83
Withering ...**53** 39 **58** 111,112 **60** 30
63 48-52,56,59 **64** 35,46,49

Wood..
combustion system ...**64** 48
fired air heaters ...**63** 57
gasification ...**63** 63
rot ...**52** 08,52 **54** 05,08,09,24
Wooden chests ...**52** 11
Woody plants ...**59** 62

X
Xanthium pennysylvanicum ...**57** 60
XRD ...**62** 54, 63

Y
Yield ...**52** 06,07,09,11,67,86
53 11,12 **55** 16,18,54,57 **59** 67
60 22,27,28,76-81 **61** 46-50
63 97,99,104 **64** 21,67-74,
76,79
Young tea ...**63** 94

Z
Zinc.. ...**52** 27 **59** 34,53,56
acetate ...**54** 05
Zinc sulphate see Fertilizer
***Zootermopsis* see Termits**
Zygia jiminga ...**56** 68

IF
BSM
REVIEW